



CEILING FAN CATALOG 2022





See
Yourself
Here.

Lighting helps tell a story, whether it's setting the mood or enjoying a special moment. These occasions are meaningful, expressive, and shared with those we care about most. Let Progress be your guide in illuminating these spaces into special places.

Table of Contents

Fan Inspiration	16	Accessories	202
Our ceiling fans do more than cool a room – they combine beautiful design with premium performance. Choose from fans that make a statement across a variety of design trends, from simple to spectacular.		Light Kits	206
		Downrods	212
		Remotes	213
		Cross Reference Chart	214
		Blade Finishes	218

Indoor Fans



Outdoor Fans



Be Inspired

- @ProgressLtg
- @ProgressLtg
- @ProgressLighting
- @ProgressLtg
- Progress Lighting
- Progress-Lighting


Indoor Ceiling Fans

AIRPRO Brushed Nickel p.143	AIRPRO Polished Chrome p.142	AIRPRO Antique Bronze p.143	AIRPRO White p.143	AIRPRO Graphite p.143
AIRPRO Matte Black p.143	AIRPRO Brushed Nickel p.144	AIRPRO White p.144	AIRPRO Matte Black p.144	AIRPRO Brushed Nickel p.144
AIRPRO White p.144	AIRPRO Matte Black p.144	AIRPRO Brushed Nickel p.145	AIRPRO Matte Black p.145	AIRPRO White p.145
AIRPRO (P250066) Brushed Nickel p.151	AIRPRO (P250066) Matte Black p.150	AIRPRO (P250066) White p.151	AIRPRO ENERGY STAR Brushed Nickel p.146	AIRPRO ENERGY STAR White p.147
AIRPRO ENERGY STAR Matte Black p.147	AIRPRO ENERGY STAR Brushed Nickel p.148	AIRPRO ENERGY STAR White p.148	AIRPRO ENERGY STAR Matte Black p.148	AIRPRO ENERGY STAR Brushed Nickel p.149


























Indoor Ceiling Fans

AIRPRO ENERGY STAR White p.149	AIRPRO ENERGY STAR Matte Black p.149	ALLERON Antique Nickel p.57	ALLERON Flat Black p.56	ARLO Architectural Bronze p.73
ARLO Black p.73	ARLO Brushed Nickel p.72	BEDWIN Antique Nickel p.104	BEDWIN Galvanized p.105	BEDWIN Graphite p.105
BELVA Matte Black p.36	BELVA Cottage White p.37	BILLOWS Antique Bronze p.129	BILLOWS Brushed Nickel p.128	BILLOWS Forged Black p.129
BIXBY Black Chrome p.74	BIXBY White p.75	44" BRADEN Brushed Nickel p.160	44" BRADEN Matte Black p.160	44" BRADEN Matte White p.160
BRADEN Architectural Bronze p.163	BRADEN Brushed Nickel p.163	BRADEN Polished Chrome p.162	BRIARWOOD Antique Bronze p.34	BRIARWOOD Galvanized p.35

Indoor Ceiling Fans

BRIARWOOD Graphite p.35	BRIARWOOD Matte Black p.35	42" BUILDER FAN Antique Bronze p.153	42" BUILDER FAN Brushed Nickel p.153	42" BUILDER FAN White p.153
				
52" BUILDER FAN Antique Bronze p.155	52" BUILDER FAN Brushed Nickel p.155	52" BUILDER FAN Graphite p.155	52" BUILDER FAN Polished Chrome p.155	52" BUILDER FAN White p.155
				
52" BUILDER FAN WITH LIGHT KIT Architectural Bronze p.154	52" BUILDER FAN WITH LIGHT KIT Brushed Nickel p.154	52" BUILDER FAN WITH LIGHT KIT White p.154	CALEB Antique Bronze p.64	CALEB Antique Bronze p.65
				
CALEB Brushed Nickel p.65	CALEB Brushed Nickel p.65	CARROLLWOOD Brushed Nickel p.95	CARROLLWOOD Matte Black p.94	CARROLLWOOD White p.95
				
CHAPIN Antique Nickel p.103	CHAPIN Graphite p.103	CHAPIN Oil Rubbed Bronze p.102	CLARET Brushed Nickel p.113	CLARET Matte Black p.113
				


























Indoor Ceiling Fans

CLARET Oil Rubbed Bronze p.112	CLIFTON HEIGHTS Antique Bronze p.141	CLIFTON HEIGHTS Brushed Nickel p.140	DRIFT Architectural Bronze p.159	DRIFT Brushed Nickel p.158
				
DRIFT White p.159	EDGEFIELD Antique Bronze p.156	EDGEFIELD Brushed Nickel p.157	EDGEFIELD White p.157	ELLWOOD Antique Bronze p.63
				
ELLWOOD Brushed Nickel p.62	FARRIS Brushed Nickel p.79	FARRIS Graphite p.79	FARRIS Oil Rubbed Bronze p.78	FRESNO Antique Bronze p.122
				
FRESNO Brushed Nickel p.123	FRESNO White p.123	GAZE Antique Bronze p.83	GAZE Black p.83	GAZE Brushed Nickel p.83
				
GAZE Polished Chrome p.82	GLANDON Antique Nickel p.96	GLANDON Gilded Iron p.97	GLENFALLS Brushed Nickel p.111	GLENFALLS Matte White p.110
				


















Indoor Ceiling Fans

GLENFALLS Matte Black p.111	GRACEFUL Antique Bronze p.115	GRACEFUL Brushed Nickel p.114	GRACEFUL Polished Chrome p.115	GREER Antique Nickel p.100
				
GREER Gilded Iron p.101	GULLIVER Galvanized p.38	GULLIVER Graphite p.39	GUST Antique Bronze p.117	GUST Brushed Nickel p.116
				
GUST Graphite p.117	HARRANVALE Antique Bronze p.109	HARRANVALE Graphite p.108	HARRANVALE White p.109	HOLLAND Black p.89
				
HOLLAND Brushed Nickel p.88	HOLLAND Oil Rubbed Bronze p.89	42" HUGGER FAN Brushed Nickel p.169	42" HUGGER FAN White p.169	52" HUGGER FAN Brushed Nickel p.168
				
52" HUGGER FAN White p.168	HUFF Black p.67	HUFF Brushed Nickel p.66	HUFF Matte White p.67	KAYSVILLE Antique Nickel p.52
				


























Indoor Ceiling Fans

KAYSVILLE Graphite p.53	KASOTA Graphite p.175	KASOTA Oil Rubbed Bronze p.174	KASOTA Painted Nickel p.175	KENNEDDALE Matte White p.193
				
KENNEDDALE Painted Nickel p.193	KENNEDDALE Matte Black p.192	KUDOS Brushed Nickel p.120	LINDALE Antique Nickel p.167	LINDALE Architectural Bronze p.166
				
LINDALE Matte White p.167	LORING Galvanized p.41	LORING Matte Black p.40	MANVEL Antique Bronze p.77	MANVEL Antique Nickel p.76
				
MANVEL Matte Black p.77	MESILLA Antique Bronze p.55	MESILLA Antique Nickel p.54	MESILLA Flat Black p.55	ORIOLE Architectural Bronze p.90
				
ORIOLE Black p.91	ORIOLE Brushed Nickel p.91	52" PERFORMANCE Antique Bronze p.152	52" PERFORMANCE Brushed Nickel p.152	52" PERFORMANCE White p.152
				

Indoor Ceiling Fans


ROYER Antique Nickel p.93	ROYER Forged Black p.92	RYNE Matte White p.31	RYNE Matte Black p.30	RYNE Koa Woodgrain p.31
				
SANFORD Architectural Bronze p.42	SANFORD Brushed Nickel p.43	SIGNATURE Antique Bronze p.133	SIGNATURE Brushed Nickel p.132	SIGNATURE Brushed Nickel p.133
				
SIGNATURE Forged Black p.133	SIGNATURE PLUS Antique Bronze p.139	SIGNATURE PLUS Brushed Nickel p.139	SIGNATURE PLUS White p.139	SIGNATURE PLUS II Antique Bronze p.138
				
SIGNATURE PLUS II Brushed Nickel p.138	SIGNATURE PLUS II White p.138	SOAR Antique Bronze p.106	SOAR Brushed Nickel p.107	SOAR White p.107
				
SPADES Brushed Nickel p.85	SPADES Graphite p.85	SPADES Polished Chrome p.84	SPICER Brushed Nickel p.61	SPICER Antique Bronze p.60
				

Indoor Ceiling Fans


SPICER Matte Black p.61	52" SPRINGER Antique Nickel p.46	52" SPRINGER Architectural Bronze p.47	52" SPRINGER Matte Black p.47	60" SPRINGER Antique Nickel p.51
				
60" SPRINGER Architectural Bronze p.51	60" SPRINGER Matte Black p.50	TEMPT Antique Bronze p.125	TEMPT Polished Chrome p.125	TEMPT Vintage Brass p.124
				
TREVINA II 44" Black p.134	TREVINA II 44" Brushed Nickel p.134	TREVINA II 44" Satin White p.134	TREVINA II 52" Antique Bronze p.135	TREVINA II 52" Architectural Bronze p.135
				
TREVINA II 52" Brushed Nickel p.135	TREVINA II 52" Painted Nickel p.135	TREVINA II 52" White p.135	VAST Antique Bronze p.69	VAST Brushed Nickel p.69
				
VAST Matte Black p.68	VAST White p.69	VERADA Antique Bronze p.127	VERADA Brushed Nickel p.126	VERNAL Matte Black p.29
				

Indoor Ceiling Fans


VERNAL
Painted Nickel
p.29




VERNAL
Koa Woodgrain
p.28




VOX FAN
Antique Bronze
p.165




VOX FAN
Brushed Nickel
p.164




VOX FAN
White
p.165



WILLACY
Matte Black
p.33




WILLACY
Painted Nickel
p.32




Outdoor Ceiling Fans

 Damp Location Listed


ALBIN
Architectural Bronze
p.194




ALBIN
Matte Black
p.195



ALBIN
Matte White
p.195




ALLERON
Antique Nickel
p.57




ALLERON
Flat Black
p.56




ALFRESCO
Architectural Bronze
p.186




ALFRESCO
Blistered Iron
p.187




ARLO
Architectural Bronze
p.73



ARLO
Black
p.73



ARLO
Brushed Nickel
p.72



Outdoor Ceiling Fans

 Damp Location Listed

BELVA
Matte Black
p.36



BELVA
Cottage White
p.37



BIXBY
Black Chrome
p.74



BIXBY
White
p.75



BRIARWOOD
Antique Bronze
p.34



BRIARWOOD
Galvanized
p.35



BRIARWOOD
Graphite
p.35



BRIARWOOD
Matte Black
p.35



DECORATIVE PATIO FAN
Antique Bronze
p.198



EDWIDGE
Matte White
p.181



EDWIDGE
Matte Black
p.181



EDWIDGE
Painted Nickel
p.180



GULLIVER
Galvanized
p.38



GULLIVER
Graphite
p.39



HOLLAND
Brushed Nickel
p.88



HOLLAND
Black
p.89



HOLLAND
Oil Rubbed Bronze
p.89



HUFF
Black
p.67



HUFF
Brushed Nickel
p.66



HUFF
Matte White
p.67



KASOTA
Graphite
p.175



KASOTA
Oil Rubbed Bronze
p.174



KASOTA
Painted Nickel
p.175



KAYSVILLE
Antique Nickel
p.52



KAYSVILLE
Graphite
p.53













Outdoor Ceiling Fans

 Damp Location Listed

KENNEDDALE Matte White p.193	KENNEDDALE Painted Nickel p.193	KENNEDDALE Matte Black p.192	MANVEL Antique Bronze p.77	MANVEL Antique Nickel p.76
				
MANVEL Matte Black p.77	MESILLA Antique Bronze p.55	MESILLA Antique Nickel p.54	MESILLA Flat Black p.55	MIDVALE Blistered Iron p.177
				
MIDVALE Galvanized p.176	MIDVALE Matte White p.177	RUDDER Architctural Bronze p.179	RUDDER Matte Black p.179	RUDDER Matte White p.178
				
RYNE Matte White p.31	RYNE Matte Black p.30	RYNE Koa Woodgrain p.31	SANFORD Architctural Bronze p.42	SANFORD Brushed Nickel p.43
				
SPICER Brushed Nickel p.61	SPICER Antique Bronze p.60	SPICER Matte Black p.61	VAST Antique Bronze p.69	VAST Brushed Nickel p.69
				














Outdoor Ceiling Fans

 Damp Location Listed

VAST Matte Black p.68	VAST White p.69	VERNAL Matte Black p.29	VERNAL Painted Nickel p.29	VERNAL Koa Woodgrain p.28
				
WHIRL Antique Bronze p.183	WHIRL Antique Nickel p.182	WHIRL Forged Black p.183	WILLACY Matte Black p.33	WILLACY Painted Nickel p.32
				

Outdoor Ceiling Fans

 Wet Location Listed

LAKEHURST Antique Bronze p.196	LAKEHURST Forged Black p.197	LAKEHURST White p.197	MONTAGUE Antique Bronze p.191	MONTAGUE Forged Black p.190
				
MONTAGUE White p.191	52" PATIO FAN Antique Bronze p.200	52" PATIO FAN Forged Black p.200	52" PATIO FAN Galvanized p.200	52" PATIO FAN White p.200
				
54" PATIO FAN Antique Bronze p.200	SMYRNA Antique Bronze p.188	SMYRNA Forged Black p.189		
				



Introducing the New AirPro 52" 5-Blade Ceiling Fan



Multiple options

- Three AC motor Energy Star rated models
- Light kits (single poly dome shades, 4-light seeded glass or poly shades)
- On-trend finishes

SEE PAGE 142 - 149 FOR PRODUCT DETAILS.

Captive Screws

allow for quick and easy fan blade arm installation.

Unpack Options

package the light kit with the fan, eliminating need to order the light kit separately.

Accessories

All fans can accept an accessory wall and remote control (sold separately).

Light Kits

All light kits include medium based, 3000K LED lamps.

Fan Inspiration

Ceiling Fans can serve as a statement piece or even the focal point of a room.

Today's ceiling fans incorporate beautiful features, such as hand carved blades, sleek finishes and natural elements to appeal to a variety of different design trends.

At Progress Lighting, we strive to incorporate this shift in our ceiling fan designs and are eager to present an expanded offering in this catalog.

The Perfect Fan in 5 Steps



Scan with the camera on your smartphone to explore more styles at www.progresslighting.com/styles

Ceiling Fan Buyer's Guide

Ceiling fans are practical and efficient solutions for creating comfortable and welcoming living areas. With many styles, functions and features to choose from, narrowing down the choices can be a challenge. Here we present five tips for selecting the perfect ceiling fan for your home.

1 Settle on Style

Choose a style that complements your décor. Consider fan shape, blade features and finish to help you meet your room's design needs. Choose from Traditional, Transitional, Coastal or Farmhouse styles. The possibilities are vast!



Modernly Minimal

See full trendboard page 204



Modern + Edgy

See full trendboard page 26



Easy, Breezy, Coastal

See full trendboard page 172

Indoor




Outdoor



2 Explore Indoor vs. Outdoor Uses

Fans provide a breezy setting for reading a book or catching up with friends, making them ideal for outdoor rooms. However, it's important to consider the certifications on the fan depending on the use. For high humidity areas, choose a UL-Listed fan for Damp Locations and for spaces that will be exposed to weather, choose a UL-Listed fan for Wet Locations. For interior use in dry spaces with minimal condensation, select a UL-Listed fan for Dry Locations. See testing listings defined on page 23.

The Perfect Fan in 5 Steps *continued...*



3 Get Your Height Right

You want to allow at least 7 feet (84 in.) from the floor to the bottom of the fan, with 8 or 9 feet being the ideal above-floor placement. For lower ceilings, consider a ceiling fan with a low profile to avoid disturbing inhabitants. Most ceiling fans come equipped with a down rod to help you adjust to the correct height.

4 Size It To Your Space

Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.

Room Size	Fan Size
(in square feet)	(in inches)
0 - 75	0 - 36
76 - 144	36 - 42
145 - 225	42 - 50
226 - 360	50 - 54
361 - 499	54 - 70
500+	70+

The Perfect Fan in 5 Steps continued...

5 Choose Your Features

There are many different features to choose from when browsing ceiling fans.



Blade Finish Options

Multiple blade finish options to coordinate with your home decor.

Example blade options for P2568-0930K:

- Silver
- American Walnut



Reversible Motor

Typically, ceiling fans are used to help cool you down and keep the air flowing with a counter-clockwise blade direction. However, fans can also keep you warm when the direction of the blades is reversed. Select a fan with reversible motor for the option to circulate cool or warm air. Most ceiling fans have a small switch located either on the motor housing or the switch cup.



LED

Consider an LED or Energy Star rated fixture to save energy.



P2568-0930K



P2662-01

Remote Control with Full Range Dimming

Full range dimming and hand-held remote control capabilities are available to offer an added convenience in controlling a room's environment.



Light Kit

For a layered lighting effect, install a ceiling fan with a pre-installed light kit to complement your existing fixtures.



Scan for "The Perfect Fan in 5 Steps" with Steve Register or visit [youtube.com/user/ProgressLtg](https://www.youtube.com/user/ProgressLtg)

Control from Anywhere with WiFi

Easily control your fan with your smartphone, tablet, voice or hand-held remote.



P2667-31

WiFi enabled



Compatible with Any Progress AC Motor

Full Range Dimming Control

Breeze Mode on App

On/Off Function for Fan and Light Kit

Control from your pocket



For more details, visit www.progresslighting.com/ceilingfans

LED Light Kits

Save Money and Energy

When you select a high-quality LED fixture, you can expect a significant return on investment from an energy conservation standpoint. Here are some of the energy saving benefits of LEDs from Progress Lighting:

Whirl
P2574-8130K
shown with Driftwood blades

Features



LED sources use at least 75% less energy than incandescent lighting, allowing homeowners to save on operating expenses.



LEDs last 35 to 50 times longer than incandescent sources and approximately 2 to 5 times longer than fluorescent lighting. Meaning, less bulb maintenance!



LEDs do not use power when they are turned off. According to MSN Real Estate, LED lights can result in an annual bill as low as \$26.



LEDs do not produce heat like traditional sources, reducing cooling costs. Traditional incandescent bulbs waste 98% of the energy they consume on heat.

Find Your Rating

Indoor, Damp and Wet Location

All ceiling fans sold in the United States have been tested and rated by either Underwriters Laboratories (UL) or Intertek (ETL), each an independent product safety certification organization. It’s important to pay attention to the rated listing when purchasing a ceiling fan as it will tell you what location the fan was designed for. There are three location options: dry, damp and wet.



Damp Location

If you are selecting a ceiling fan for a space that is outdoors and under a roof, i.e. any covered porches; you should select either a damp rated or wet listed fan. Damp location fans may also be used indoors.



Dry Location

Please note indoor only (dry location) fans should only be used indoors. Even if an outdoor area or screened-in porch is covered, the motor and the blades can be affected when exposed to humidity. You can, however, “bring the outdoors inside” – as using outdoor ceiling fans are perfectly acceptable to use in interior spaces.



Wet Location

If the fan comes directly into contact with water, you’ll need to ensure that the ceiling fan has a “wet” listing. Ceiling fans designed for damp or wet locations feature elements, such as moisture-resistant motors and all weather blades. Wet location fans may also be used indoors.




Indoor Ceiling Fans

Experience the versatility
ceiling fans provide



Scan with your camera on
your smartphone or visit
www.progresslighting.com/ceilingfans



Steve Register
Senior Product Manager
Ceiling Fans

Modern + Edgy

with Steve

Quirky and functional, this style's flair comes from its modern, yet retro, juxtaposition. Mid-Century Modern style furniture adds unique shapes and pops of color to a room. Designers look for statement pieces to complete the look. This style is gravitating toward a cleaner, more minimalistic look through the incorporation of a neutral palette and softer accent colors. Mid-Century

Modern homes are largely characterized by the use of wood textures to create a sense of connection to nature and the outdoors.



Shop this style at
www.progresslighting.com/mid-century-modern



Vernal

P250059-179-30
shown with Koa Woodgrain blades

FINISHES

- Matte Black - 031
- Painted Nickel - 152
- Koa Woodgrain - 179



WiFi included

Vernal refreshes a room’s decor with elegant curves and an expansive 60-inch, five- blade span for the ultimate in design-savvy comfort. Vernal includes WiFi smart control: once installed, Vernal can be controlled by a voice assistant, tablet or smart phone. Finished in Koa Woodgrain, Matte Black or Painted Nickel, Vernal is designed to complement New Traditional and Transitional interiors.

Integrated Smart Control

Elegant Curves

Dimmable LED Light

Vernal

P250059-031-30 Matte Black



Matte Black

P250059-152-30 Painted Nickel



Painted Nickel

P250059-179-30 Koa Woodgrain



Koa Woodgrain



P250059-031-30
shown with Matte Black blades



P250059-152-30
shown with Painted Nickel blades



P250059-179-30
shown with Koa Woodgrain blades
with Architectural Bronze accents

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,810 cubic feet per minute
Electricity Use	34 watts (excludes lights)
DOE Weighted CFM/W	242 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- Opal shatterproof shade
- WiFi enabled
- Remote control with batteries is included

SIZE

60" dia., 14-1/4" ht.
80" lead wires.

LAMP

18w LED Module, 3000K,
90 CRI, 1600 source lumens,
dimmable.



Ryne

P250060-031-30
shown with Matte Black blades

FINISHES

- Matte White- 028
- Matte Black - 031
- Koa Woodgrain - 179



WiFi compatible

The 52-inch Ryne fan is modern in appeal, with beautifully flowing blades that join in the middle to create a minimalistic housing. Ryne is smart control adaptable with the P2673 WiFi Module: once installed, Ryne can be controlled by a voice assistant, tablet or smart phone. Ryne's aerodynamic design and Koa Woodgrain, Matte White or Matte Black finish perfectly suits New Traditional and Transitional interiors.

Modern Appeal

Aerodynamic Design

Dimmable LED Light



P250060-028-30
shown with Matte White blades



P250060-031-30
shown with Matte Black blades



P250060-179-30
shown with Koa Woodgrain blades
with Architectural Bronze accents



P2673-01



Ryne

P250060-028-30 Matte White



Matte White

P250060-031-30 Matte Black



Matte Black

P250060-179-30 Koa Woodgrain



Koa Woodgrain

DC FAN WIFI MODULE
P2673-01

Add the WiFi module to your Ryne ceiling fan for control at your fingertips. You can easily control your fan with a hand-held remote; or a smart phone, tablet, voice assistant (Amazon Alexa and Google Home) via the Smart By Bond app.

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,802 cubic feet per minute
Electricity Use	33 watts (excludes lights)
DOE Weighted CFM/W	204 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- Opal shatterproof shade
- Remote control with batteries is included
- Add a P2673-01 WiFi module to convert to a smart fan

SIZE

52" dia., 13-1/2" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1600 source lumens, dimmable.



Willacy

P250063-152
shown with Painted Nickel blades

FINISHES

- Matte Black - 031
- Painted Nickel - 152



WiFi included

Willacy is striking in design, inspired by flowing ribbons that swirl around a gleaming center hub to create a gentel breeze. Willacy includes WiFi smart control: once installed, the fan can be controlled by a voice assistant, tablet or smart phone. Willacy features all weather hand finished ABS blades making it ideal for indoor or outdoor use.

Striking Design

Ribbon-Like Blades

For Indoor & Outdoor Use

Willacy

P250063-031 Matte Black



Matte Black

P250063-152 Painted Nickel



Painted Nickel



P250063-031
shown with Matte Black blades



P250063-152
shown with Painted Nickel blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,544 cubic feet per minute
Electricity Use	14 watts (excludes lights)
DOE Weighted CFM/W	318 CFM/W

FEATURES

- Limited Lifetime Warranty
- DC Motor
- ABS blades
- WiFi enabled
- Remote control with batteries is included

SIZE

48" dia., 14-1/2" ht.
12" lead wires.



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control

Briarwood

P250067-020-WB
with rich oak faux wood accent finish

- FINISHES**
- Antique Bronze - 020
 - Galvanized - 141
 - Graphite - 143
 - Matte Black - 31M

The Briarwood ceiling fan brings vintage farmhouse detailing into the present day with a classic cross-brace pattern enclosing vintage-style bulbs and a trio of fan blades within its airy, open-frame design. Faux-painted wood accentuates Briarwood's simple geometric form, adding the perfect touch of country character to a variety of room settings.



Farmhouse Detailing

Open Frame Design


Geometric Form



P250067-020-WB
accent color
rich oak faux wood



P250067-143-WB
accent color
white washed faux wood




P250067-141-WB
accent color
bleached oak faux wood



P250067-31M-WB
accent color
ceruse black oak

Briarwood

P250067-020-WB Antique Bronze



Antique Bronze

P250067-141-WB Galvanized



Galvanized

P250067-143-WB Graphite



Graphite

P250067-31M-WB Matte Black



Matte Black

ENERGY INFORMATION AT HIGH SPEED

Airflow	1,145 cubic feet per minute
Electricity Use	31 watts (excludes lights)
DOE Weighted CFM/W	37 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Add a P2630-30 or P2613-30 wall control or P2662-01 hand-held remote control
- Add the P2667-31 WiFi remote

SIZE

22" dia., 17" ht.
45" lead wires.

LAMP

Four medium base 2200K 5.5w vintage LED lamps included. 500 lumens/lamp, 80 CRI, dimmable. 5.5w LED max/socket.



Belva

P250068-31M-WB
with mocha colored wicker'

FINISHES

- Matte Black - 31M
- Cottage White - 151

The Belva ceiling fan offers an organic global feel and coastal charm. A lattice-like design graces the natural wicker frame, and a lovely Cottage White and Mocha finishes gives charm and depth. A trio of fan blades and vintage-style bulbs within the frame's woven structure moves air comfortably while casting a beautifully diffused glow.

Organic Feel

Natural Woven Frame

Coastal Charm


Belva

P250068-31M-WB Matte Black



Matte Black

P250068-151-WB Cottage White



Cottage White



P250068-31M-WB
with mocha colored wicker'



P250068-151-WB
with whitewashed wicker

ENERGY INFORMATION AT HIGH SPEED

Airflow	1,125 cubic feet per minute
Electricity Use	37 watts (excludes lights)
DOE Weighted CFM/W	37 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Add a P2630-30 or P2613-30 wall control
- Add the P2667-31 WiFi remote

SIZE

25-1/4" dia., 17-7/8" ht.
45" lead wires.

LAMP

Four medium base 2200K 5.5w vintage LED lamps included. 500 lumens/lamp, 80 CRI, dimmable. 5.5w LED max/socket.



Gulliver

P250012-141-22
shown with Antique White Wood

FINISHES

- Galvanized - 141
- Graphite - 143

Three circular bands wrap together to create an open design. Non-metallic fan blades enclosed within a stylish cage design gives the rustic charm of a pendant combined with the functionality of a ceiling fan. Dual toned frame color combinations of Galvanized with antique white accents or Graphite with weathered gray accents. A hand painted wood grained texture complements rustic and modern farmhouse home decor, as well as urban industrial and coastal interior settings.



Urban Industrial Design

Rustic Charm

Hand-Painted Wood



P250012-141-22
shown with Antique White Wood



P250012-143-22
shown with Gray Wood

Gulliver

P250012-141-22 Galvanized



Antique White Wood

P250012-143-22 Graphite



Gray Wood

ENERGY INFORMATION AT HIGH SPEED

Airflow	1,297 cubic feet per minute
Electricity Use	39 watts (excludes lights)
Airflow Efficiency	33 cubic feet per minute per watt



Three-Speed Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-18.5")
- AC Motor
- Reversible Motor
- Rust-proof non-metallic blades
- Damp Location Rated
- Remote control with batteries is included
- Add the P2667-31 WiFi remote

SIZE

23" dia., 18-1/8" ht.
42" lead wires.

LAMP

Three medium base 2200K 5.5w vintage LED lamps included. 500 lumens/ lamp, 80 CRI, dimmable. 5.5w LED max/socket.



Loring

P250006-031
shown with Matte Black blades

FINISHES

- Black- 031
- Galvanized - 141

Outfitted with stylish mixed metal elements, the Loring collection shows off an industrial-inspired, open-cage design. Four plywood blades and a handy remote control are ready to help you and your family stay comfortable and relaxed all year round.

Open-Cage Design




Industrial Inspired

Mixed-Metal Elements




P250006-031
shown with Gold accent
and Distressed Ebony blades



P250006-141
shown with Matte Black accent
and White Barnwood blades

Loring

P250006-031 Black



- Matte Black
- Distressed Ebony

P250006-141 Galvanized



- White Barnwood
- Driftwood

ENERGY INFORMATION AT HIGH SPEED

Airflow	1,766 cubic feet per minute
Electricity Use	43 watts (excludes lights)
DOE Weighted CFM/W	44 CFM/W



Three Speed Remote Control Included
Three-speed fan operation

FEATURES

- Limited lifetime warranty
- Close-to-ceiling installation
- AC Motor
- Reversible plywood blades
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

33" dia., 15-1/4" ht.
12" lead wires.



Sanford

P2594-12930K

FINISHES

- Brushed Nickel - 009
- Architectural Bronze - 129

Sanford delivers ultra powerful air movement and energy efficient illumination packaged in a modern design. Ideal for both interior and outdoor settings, this “fandelier” adds a contemporary style to porches, foyers, bath and vanity areas providing a wide range of applications. Sanford includes an integrated 23W LED module, offering both form and function with energy and cost-savings benefits. A three-speed remote control is included.

Indoor or Outdoor Use

Contemporary Style

Powerful Air Movement



P2594-0930K



P2594-12930K

Sanford

P2594-0930K Brushed Nickel

P2594-12930K Architectural Bronze

ENERGY INFORMATION AT HIGH SPEED

Airflow	1,008 cubic feet per minute
Electricity Use	37 watts (excludes lights)
DOE Weighted CFM/W	27 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-18.5")
- AC Motor
- Metal blades
- Damp Location Rated
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

22-7/8" dia., 17-3/4" ht.
80" lead wires.

LAMP

26w LED module, 3000K, 90 CRI,
2638 source lumens, dimmable.



An Industrial Edge



A simple but edgy vibe takes its cue from industrial origins.

1

Try a fandelier style ceiling fan like Sanford that delivers ultra-powerful air movement packaged in a vintage design.

2

Toss your table lamp and try two low-hanging pendants over the nightstand instead.

3

Finish the room with organic elements of wood and worn textures that celebrate the signature look of the industrial setting.

52" Springer

P250065-081


FINISHES

- Antique Nickel - 081
- Architectural Bronze - 129
- Matte Black - 31M



WiFi compatible

The sweeping style of the Springer fan is expressed in a 52" size that is ideal for boosting airflow in smaller spaces. The 12-blade ceiling fan has a rustic flair inspired by the form and function of a windmill. Springer is WiFi ready offering more versatility in control options. It is a DC motor fan and can accept the Springer light kit (sold separately). Springer offers the perfect look for Farmhouse, Industrial and Transitional settings



P250065-081



P250065-129



P250065-31M

52" Springer

P250065-081 Antique Nickel



White Barnwood

P250065-129 Architectural Bronze



Distressed Walnut

P250065-31M Matte Black



Rustic Charcoal

SPRINGER LIGHT KIT

P260000-081-WB Antique Nickel
P260000-129-WB Architectural Bronze
P260000-31M-WB Matte Black
Two medium base 2700K 7w vintage LED lamps included. 600 lumens/lamp, 90 CRI, dimmable. 7w LED max/socket.



*This light kit is only compatible with the P250065 and P250000 Springer Fans.

ENERGY INFORMATION AT HIGH SPEED

Airflow	6296 cubic feet per minute
Electricity Use	30 watts (excludes lights)
DOE Weighted CFM/W	245 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- Add a P2673-01 module to convert your fan to WiFi smart

SIZE

52" dia., 17-3/8" ht.
80" lead wires.



Modern Traditional is the perfect blend of new and old.

1

Use a contemporary tonal color palette of whites and grays accented with rustic, warm wood touches to make the space feel inviting.

2

Complement the minimalist room with the rugged, statement-making style of the Springer ceiling fan.

3

Amplify modern style with the Milner wall sconce's trendy matte black finish and clear glass shades against a white-washed brick accent wall.



Featuring Springer and Milner

Springer

- FINISHES**
- Antique Nickel - 081
 - Architectural Bronze - 129
 - Matte Black - 31M



Now Available
WiFi Compatible

P250000-31M
shown with Rustic Charcoal blades




Dual Mount Canopy

Rustic Flair

Windmill Inspired


Springer

P250000-081 Antique Nickel



White Barnwood

P250000-129 Architectural Bronze



Distressed Walnut

P250000-31M Matte Black



Rustic Charcoal

**NOW AVAILABLE WILL ACCEPT
THE P260000 LIGHT KIT**


P260000-081-WB Antique Nickel
P260000-129-WB Architectural Bronze
P260000-31M-WB Matte Black
Two medium base 2700K 7w vintage
LED lamps included. 600 lumens/lamp,
90 CRI, dimmable. 7w LED max/socket.



**This light kit is only compatible with the
P250065 and P250000 Springer Fans.*



Scan with the camera
on your smartphone for the
Springer installation video.



P250000-081
shown with White Barnwood blades



P250000-129
shown with Distressed Walnut blades



P250000-31M
shown with Rustic Charcoal blades

ENERGY INFORMATION AT HIGH SPEED

Airflow 6,377 cubic feet per minute
Electricity Use 33 watts (excludes lights)
DOE Weighted CFM/W 206 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-22°)
- DC Motor
- Plywood blades
- Full function remote control with batteries is included
- Add a P2673-01 module to convert your fan to WiFi smart

SIZE

60" dia., 17-3/8" ht.
80" lead wires.



Kaysville

P250003-081-30
shown with Chestnut blades

FINISHES

- Antique Nickel - 081
- Graphite - 143

Beautiful long bent blades appear to be held only by a simple metal band in Kaysville, offering a modern industrial style. Kaysville pairs the beauty of the blades with a strong, all-weather ABS material to prevent warping.

Modern Style

Simple Metal Band

Dimmable LED Light

Kaysville

P250003-081-30 Antique Nickel



Chestnut

P250003-143-30 Graphite








Gray Weathered Wood



P250003-081-30
shown with Chestnut blades



P250003-143-30
shown with Gray Weathered Wood blades

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	9,650 cubic feet per minute	<ul style="list-style-type: none">Limited Lifetime WarrantyDual Mount (flat or sloped ceiling-20°)DC MotorABS bladesWhite Opal glass shadeRemote control with batteries is included	56" dia., 17-1/4" ht.
Electricity Use	31 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	361 CFM/W		LAMP
 Full Function Remote Control Included <i>Six-speed fan operation</i> <i>Full-range dimming for light</i> <i>Reverse direction control</i>			24w LED Module, 3000K, 90 CRI, 2000 source lumens, dimmable.
			   

Mesilla

NEW

P250073-081
shown with White Barnwood blades

FINISHES

- Antique Bronze - 020
- Antique Nickel - 081
- Flat Black - 182

Mesilla has an organic style that delivers natural grace and beauty to indoor and outdoor rooms. Its flower-like silhouette comes from five hand-finished ABS blades that gently wrap around the housing, with a single metal band that seems to be holding the blades on, creating a beautiful focal point. Mesilla has a DC motor for the highest efficacy and whisper-quiet operation. A full-function remote control with a battery is included.

Organic Style

Natural Grace

Focal Point

Mesilla

P250073-020 Antique Bronze



Antique Wood

P250073-081 Antique Nickel



White Barnwood

P250073-182 Flat Black



Gray Weathered Wood



P250073-020
shown with Antique Wood blades



P250073-081
shown with White Barnwood blades



P250073-182
shown with Gray Weathered Wood blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,966 cubic feet per minute
Electricity Use	38 watts (excludes lights)
DOE Weighted CFM/W	217 CFM/W



- Full Function Remote Control Included
- Six-speed fan operation
- Full-range dimming for light
- Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- Remote control with batteries is included

SIZE

60" dia., 14-1/4" ht.
80" lead wires.



Alleron

P250009-182-30
shown with Antique Black blades

FINISHES

- Antique Nickel - 081
- Flat Black - 182

Reminiscent of aviation days gone by, Alleron takes its styling cues from a set of airplane propeller blades. The hand-finished ABS blades paired with a sleek metal ceiling canopy and light kit add a modern industrial flair to indoor and covered outdoor settings.

Propeller Inspired Blades

Modern Industrial Flair

Dimmable LED Light

Alleron

P250009-081-30 Antique Nickel



Gray Weathered Wood

P250009-182-30 Flat Black



Antique Black



P250009-081-30
shown with Gray Weathered Wood blades



P250009-182-30
shown with Antique Black blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	7,801 cubic feet per minute
Electricity Use	20 watts (excludes lights)
DOE Weighted CFM/W	423 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- White opal glass shade
- Remote control with batteries is included

SIZE

56" dia., 16" ht.
80" lead wires.

LAMP

24w LED Module, 3000K,
90 CRI, 2000 source lumens,
dimmable.



Modern Romance



Use subtle notes of soft gold and rich blue to create a romantic backdrop for dramatic black finishes and clean white walls.

1 Choose black finishes for lighting, décor and trims to add an industrial vibe to the room. .

2 Create a cohesive look by selecting lighting fixtures from the same collection, like the Elara wall sconces and foyer light that showcase the collection's signature slender, chic form.

3 Punctuate the ceiling with an impressive ceiling fan like Spicer, whose clean style delivers a contemporary element.

Spicer

NEW

P250071-020
shown with Antique Wood blades

FINISHES

- Brushed Nickel - 009
- Antique Bronze - 020
- Matte Black- 31M

Sleek lines and solid metal housing offer an urban industrial edge to Spicer. Three curved, hand-finished ABS blades rotate around a slim, smooth fan body, giving sophisticated style to indoor and outdoor rooms. Spicer has a DC motor for the highest efficacy and whisper-quiet operation. A full-function remote control with a battery is included.

Sleek Lines

Carved Wood Blades

Sophisticated Style

Spicer

P250071-009 Brushed Nickel



Grey Weathered Wood

P250071-020 Antique Bronze



Antique Wood

P250071-31M Matte Black



Antique Black



P250071-009
shown with Grey Weathered Wood blades



P250071-020
shown with Antique Wood blades



P250071-31M
shown with Antique Black blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,521 cubic feet per minute
Electricity Use	35 watts (excludes lights)
DOE Weighted CFM/W	158 CFM/W

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- Remote control with batteries is included

SIZE

54" dia., 11-9/16" ht.
80" lead wires.



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control

Ellwood

P2546-09
shown with Driftwood blades

FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20

A picture of modern design, the functional minimalism of the Ellwood 68" ceiling fan is a product of advanced design. Five long and graceful blades made of carved wood move air with remarkable efficiency. Ellwood features a dual mount system and is compatible with universal light kits. A full function remote control is included.

Modern Design

Carved Wood Blades

Dual Mount System

Ellwood

P2546-09 Brushed Nickel



Driftwood

P2546-20 Antique Bronze



Walnut



P2546-09
shown with Driftwood blades



P2546-20
shown with Walnut blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	7,587 cubic feet per minute
Electricity Use	90 watts (excludes lights)
DOE Weighted CFM/W	92 CFM/W



Full Function Remote Control Included
Three-speed fan operation
Reverse direction control

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Patented carved Wood blades
- Compatible with universal light kits
- Remote control with batteries is included
- Remote control may be replaced with P2631-30 wall control

SIZE

68" dia., 16-3/4" ht.
80" lead wires.



Caleb

P2560-20AW
shown with Walnut blades


FINISHES

- Brushed Nickel - 09
- Brushed Nickel - 09WW
- Antique Bronze - 20
- Antique Bronze - 20AW

Beautiful and expansive in design, the 68" Caleb ceiling fan is ideal for use in large spaces. Bent carved wood blades are paired with either Brushed Nickel or Antique Bronze finishes. Caleb features a dual mount system and is compatible with universal light kits. A full function remote control is included.




P2560-09 Brushed Nickel



Medium Cherry




P2560-09WW Brushed Nickel



Weathered Wood



P2560-20 Antique Bronze




Walnut



P2560-20AW Antique Bronze



Antique Wood

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	7,045 cubic feet per minute	<ul style="list-style-type: none">• Limited Lifetime Warranty• Dual Mount (flat or sloped ceiling-20°)• AC Motor• Patented bent carved wood blades• Compatible with universal light kits• Remote control with batteries is included• Remote control may be replaced with P2631-30 wall control	68" dia., 18" ht.
Electricity Use	86 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	91 CFM/W		
	Full Function Remote Control Included <i>Three-speed fan operation</i> <i>Reverse direction control</i>		




Huff

P250030-009
shown with Brushed Nickel blades

FINISHES

- Brushed Nickel - 009
- Matte White- 028
- Matte Black- 031

The hassles and headaches of the day fade away under the relaxing airflow created by the Huff Collection. Six expansive aluminum blades with decorative winglets stretch out from a dual mount center. Select a Brushed Nickel, Matte White, or Matte Black finish all with their own complementary highlights to create a perfect design for your modern or transitional space.



P250030-009
shown with Brushed Nickel blades
and Matte Black accents




P250030-028
shown with Matte White blades
and Brushed Nickel accents




P250030-031
shown with Black blades
and Brushed Nickel accents

Huff

P250030-009 Brushed Nickel







P250030-028 Matte White



P250030-031 Matte Black



ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	14,482 cubic feet per minute	<ul style="list-style-type: none">• Limited lifetime warranty• Dual Mount (flat or sloped ceiling-20°)• DC Motor• Aluminum blades• Damp Location Rated• Compatible with universal light kit• Remote control with batteries is included	96" dia., 15-1/2" ht. 80" lead wires.
Electricity Use	49 watts (excludes lights)		
DOE Weighted CFM/W	344 CFM/W		
			
Full Function Remote Control Included <i>Six-speed fan operation</i> <i>Reverse direction control</i>			
		  	

Vast

P2550-3130K
shown with Black blades

- FINISHES**
- Brushed Nickel - 09
 - Antique Bronze - 20
 - White - 30
 - Matte Black - 31

Beautiful and expansive in design, the 72" ceiling fan is ideal for use in large areas and outdoor covered areas for maximum cooling. A white opal shade complements a variety of finish options, including Brushed Nickel with chrome accents, Antique Bronze, White with chrome accents or Matte Black. Vast features a dual mount system and comes with a full function remote control.


Expansive Blades

Minimal Design

White Opal Shade

Vast

P2550-0930K Brushed Nickel



P2550-2030K Antique Bronze



P2550-3030K White



P2550-3130K Matte Black



P2550-0930K
shown with Brushed Nickel blades
and Chrome accents



P2550-2030K
shown with Antique Bronze blades



P2550-3030K
shown with White blades
and Chrome accents



P2550-3130K
shown with Black blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	8,100 cubic feet per minute
Electricity Use	37 watts (excludes lights)
DOE Weighted CFN/W	247 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- Aluminum blades
- Damp Location Rated
- White opal glass
- Remote control with batteries is included

SIZE

72" dia., 16-3/4" ht
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Clean and Natural



Indoor-outdoor living begins with organic origins.

1

Select a large ceiling fan like Vast in covered outdoor areas to move air while making a design statement.

2

Bring the outdoors in with weathered wood furniture and organic decor.

3

Use a cool color palette and eye-catching architectural features like a double fireplace for a sophisticated, resort-like feel.

Arlo

P250026-009-30
shown with Brushed Nickel blades

- FINISHES**
- Brushed Nickel - 009
 - Black - 031
 - Architectural Bronze - 129

Unwind under the cooling breeze created by the clean, crisp blades of the Arlo collection's modern ceiling fan. A central LED light provides a perfect way to light a space without flooding the room with harsh light as six metal blades attach to the fan's center. Offered in three different finishes, Arlo is sure to create an intriguing, yet serene retreat in whatever space it calls home.


Modern Design

Clean Metal Blades

Dimmable LED Light

Arlo

P250026-009-30 Brushed Nickel



P250026-031-30 Black



P250026-129-30 Architectural Bronze



P250026-009-30
shown with Brushed Nickel blades



P250026-031-30
shown with Black blades



P250026-129-30
shown with Architectural Bronze blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	7,558 cubic feet per minute
Electricity Use	29 watts (excludes lights)
DOE Weighted CFM/W	282 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- Aluminium blades
- Damp Location Rated
- White Opal glass
- Remote control with batteries is included

SIZE

60" dia., 18-1/2" ht.
80" lead wires.

LAMP

24w LED Module, 3000K, 90 CRI,
2000 source lumens, dimmable.



Bixby

P250038-231-30
shown with Black Metallic blades

- FINISHES**
- White - 030
 - Black Chrome - 231

You'll find the time to unwind under the eye-pleasing, urban industrial design of the Bixby collection's ceiling fan. Breathe easy after a warm summer day or a long day at work as Bixby fosters a refreshing current of cool air with three, slightly curved Lucite blades circling a gentle LED light as it provides soothing illumination.

Industrial Style

Slightly Curved
Lucite Blades

Dimmable LED Light

Bixby






- P250038-030-30** White
- White Metallic
- P250038-231-30** Black Chrome
- Black Metallic



P250038-030-30
shown with White Metallic blades



P250038-231-30
shown with Black Metallic blades

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	6,846 cubic feet per minute	<ul style="list-style-type: none">Limited lifetime warrantyDual Mount (flat or sloped ceiling-20°)DC MotorPolycarbonate bladesDamp Location RatedWhite opal glassRemote control with batteries is included	60" dia., 15-1/8" ht.
Electricity Use	32 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	228 CFM/W		LAMP
 <div>Full Function Remote Control Included <i>Six-speed fan operation</i> <i>Full-range dimming for light</i> <i>Reverse direction control</i></div>			24w LED Module, 3000K, 90 CRI, 2000 source lumens, dimmable.
			   

Manvel

P250069-081
Shown with Antique Wood Blades

- FINISHES**
- Antique Bronze - 020
 - Antique Nickel - 081
 - Matte Black - 31M

Offering modern elegance in a sleek form, Manvel is a 60” fan rated for indoor/outdoor with a DC motor. Three hand-finished, premium construction ABS blades give Manvel a stylish look, making it an ideal centerpiece for living rooms, great rooms or an outdoor covered porch. Manvel includes a six-speed full function remote control.

Premium Construction

Sleek Form

Ideal Centerpiece

Manvel

P250069-020 Antique Bronze



P250069-081 Antique Nickel



P250069-31M Matte Black



ENERGY INFORMATION AT HIGH SPEED

Airflow	6127 cubic feet per minute
Electricity Use	19 watts (excludes lights)
DOE Weighted CFM/W	310 CFM/W

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-25°)
- DC Motor
- ABS Blades
- Remote control with batteries is included

SIZE

60” dia., 11-1/4 ” ht.
80” lead wires.



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control

Farris

P250002-108-30
shown with Walnut blades

FINISHES

- Brushed Nickel - 009
- Oil Rubbed Bronze - 108
- Graphite - 143

Farris features three solid wood carved blades to form a sleek, modern design. The 60" ceiling fan includes an integrated LED light kit that is removable to provide the option in non-illuminated applications. Available in Brushed Nickel, Oil Rubbed Bronze and Graphite finishes. A full function remote control with batteries is included, and the dual mount canopy accommodates flat or sloped ceilings.



Modern Design

Wood Carved Blades

Removable, Dimmable LED Light



P250002-009-30
shown with Gray Weathered Wood blades



P250002-108-30
shown with Walnut blades
and light kit removed



P250002-143-30
shown with Driftwood blades

Farris

P250002-009-30 Brushed Nickel



Gray Weathered Wood

P250002-108-30 Oil Rubbed Bronze



Walnut

P250002-143-30 Graphite



Driftwood

ENERGY INFORMATION AT HIGH SPEED

Airflow	7,047 cubic feet per minute
Electricity Use	32 watts (excludes lights)
DOE Weighted CFM/W	223 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-13°)
- DC Motor
- Carved wood blades
- Removable light kit. Blank plate included.
- White opal shatterproof shade
- Full function remote control with batteries is included

SIZE

60" dia., 15-1/2" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.





Modern Farmhouse design embraces tradition but is firmly planted in the present.

1

Look for details like the beautifully carved, solid wood fan blades of the Farris ceiling fan that centers the room with statement-making style.

2

Modernize a traditional approach by contrasting a light and airy palette with a natural stone fireplace, weathered wood mantel and exposed beams.

3

Use organic materials for decorative accessories like greenery, wood and cozy textiles to add a welcoming touch.

Gaze

P2554-1530K
shown with White Washed blades

- FINISHES**
- Brushed Nickel - 09
 - Polished Chrome - 15
 - Antique Bronze - 20
 - Black - 31

Three-blade 60" Gaze ceiling fan features an LED light source, offering both form and function with energy and cost-savings benefits. An opal white shade contains an 18W dimmable, 3000K LED module. Gaze features a dual mount system and includes a three-speed remote control with full range dimming.

Dual Mount System

Dimmable LED Light

White Opal Shade



P2554-0930K
shown with Silver blades



P2554-1530K
shown with Cherry blades



P2554-2030K
shown with Walnut blades



P2554-3130K
shown with Matte Black blades

Gaze

P2554-0930K Brushed Nickel



Silver

Cherry

P2554-1530K Polished Chrome



White Washed

Cherry


P2554-2030K Antique Bronze



Walnut


Cherry

P2554-3130K Black



Matte Black

Distressed Ebony

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	5,902 cubic feet per minute	<ul style="list-style-type: none">Limited lifetime warrantyDual Mount (flat or sloped ceiling-20°)Downrod installation only. Can not be flush mounted.AC MotorManual reverse switchReversible plywood bladesWhite shatterproof lensRemote control with batteries is includedRemote control may be replaced with P2630-30 wall controlAdd the P2667-31 WiFi remote	60" dia., 13-1/8" ht.
Electricity Use	75 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	87 CFM/W		
		Three-Speed Remote Control Included Three-speed fan operation Full-range dimming for light	LAMP
			18w LED Module, 3000K, 90 CRI, 1400 source lumens, dimmable.
			T20 JA8

Spades

P2570-15
shown with Black blades

- FINISHES**
- Brushed Nickel - 09
 - Polished Chrome - 15
 - Graphite - 143

The 56" Spades ceiling fan features a sleek contemporary two-blade design that is finished in Brushed Nickel, polished chrome or Graphite options. Spades features a dual mount system, an energy saving DC motor and ABS composite blades. A full function remote control is included.

Dual Mount System

Contemporary Design

Sleek Blades

Spades

P2570-09 Brushed Nickel



Silver

P2570-15 Polished Chrome



Black

P2570-143 Graphite



Graphite



P2570-09
shown with Silver blades



P2570-15
shown with Black blades



P2570-143
shown with Graphite blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,746 cubic feet per minute
Electricity Use	32 watts (excludes lights)
DOE Weighted CFM/W	215 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control

FEATURES


- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-17°)
- Close-to-ceiling installation
- DC Motor
- Non-reversible ABS blades
- Will not accept a light kit
- Remote control with batteries is included

SIZE

56" dia., 18-1/8" ht.
(CTC 8-1/2" ht.),
80" lead wires.



CTC INSTALLATION



Inspirational Elements



Patterns and curves inspire the design of the room.

1

Select a sleek, contemporary fan like the two-blade Spades to harmonize with the contemporary feel of the living area.

2

Take one element, such as patterned window coverings, to inspire the rest of the room's palette.

3


Nothing jump starts design envy like architectural elements like an interesting ceiling.

Holland

P250032-009-30
shown with Silver blades

- FINISHES**
- Brushed Nickel - 009
 - Black- 031
 - Oil Rubbed Bronze - 108

Enjoy nothing but first-rate design inspiration with the gorgeous Holland collection. Four simple, yet stunning blades blend style with sustainability as they anchor to a sleek, dual mount center. An integrated LED light is ready to offer a gentle glow along with the fan's refreshing breeze. With the versatility to be installed in indoor or outdoor locations, this fan will make a design statement in any modern or transitional setting.



Dual Mount System

Dimmable LED Light

Indoor or Outdoor Use



P250032-009-30
shown with Silver blades




P250032-031-30
shown with Black blades



P250032-108-30
shown with Walnut blades

Holland

P250032-009-30 Brushed Nickel



Silver

P250032-031-30 Black



Black

P250032-108-30 Oil Rubbed Bronze



Walnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	7,035 cubic feet per minute
Electricity Use	31 watts (excludes lights)
DOE Weighted CFM/W	257 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- White opal glass
- Damp Location Rated
- Remote control with batteries is included

SIZE

60" dia., 16-5/8" ht.
80" lead wires.

LAMP

24w LED Module, 3000K, 90 CRI,
2000 source lumens, dimmable.



Oriole

P2592-12930K
shown with Architectural Bronze blades



Sleek Blades

Industrial Design

Removable, Dimmable LED Light

- FINISHES**
- Brushed Nickel - 09
 - Black - 31
 - Architectural Bronze - 129

This 60" Oriole ceiling fan is the perfect addition to interior garages, industrial shops or commercial buildings to distribute the right amount of air and keep the space cool and comfortable. Oriole contains an integrated 18W LED module, with an optional finishing cap offering the user the choice to install with or without the light kit. A remote control is included to adjust speed and turn on/off the light or fan. A blank plate comes standard.



P2592-0930K
shown with Silver blades



P2592-3130K
shown with Black blades
and light kit removed
using blank plate



P2592-12930K
shown with Architectural Bronze blades

Oriole

P2592-0930K Brushed Nickel



Silver

P2592-3130K Black



Black

P2592-12930K Architectural Bronze



Architectural Bronze

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,171 cubic feet per minute
Electricity Use	51 watts (excludes lights)
DOE Weighted CFM/W	132 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-18.5°)
- AC Motor
- ABS blades
- Removable light kit. Blank plate included.
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

60" dia., 15" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Royer

P250010-080
shown with Distressed Ebony blades

FINISHES

- Antique Nickel - 081
- Forged Black- 080

The Royer collection's ceiling fan offers a charming, rustic look ideal for farmhouse and rustic spaces in need of a fresh breeze. Four plywood blades attach to the fixture's center by finely detailed metal arms. The crafted center is available in three finishes so you can select the perfect piece to complement your home décor.

Plywood Blades

Rustic Style

Detailed Metal Design

Royer


P250010-080 Forged Black



Matte Black

Distressed Ebony

P250010-081 Antique Nickel



Driftwood

Chesnut



P250010-080
shown with Matte Black blades



P250010-081
shown with Driftwood blades



Bottom detail of P250010-081
shown with Driftwood blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,255 cubic feet per minute
Electricity Use	67 watts (excludes lights)
DOE Weighted CFM/W	102 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Reversible plywood blades
- Not compatible with light kit
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

60" dia., 17-7/8" ht.
80" lead wires.



Carrollwood

NEW

FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black- 31M

P250074-31M-30
shown with Chestnut blades
and Vintage Gold accent bands

With an emphasis on elegance, Carrollwood makes a statement in any room. Lustrous accent bands circle the fan body and light kit, delivering a luxurious element to the fan's striking design. Carrollwood is offered in three tasteful finishes with complementing plywood blades. The light is an LED module covered by a shatterproof shade and is dimmable. A remote control is included for added convenience.


Accent Bands

Reversible Blades

Striking Design


Carrollwood

P250074-009-30 Brushed Nickel



American Walnut
Silver

P250074-030-30 White



Natural Cherry
White

P250074-31M-30 Matte Black



Chestnut
Black



P250074-009-30
shown with American Walnut
blades and Chrome accent bands



P250074-030-30
shown with Natural Cherry blades
and Vintage Gold accent bands



P250074-31M-30
shown with Matte Black blades
and Vintage Gold accent bands

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,857 cubic feet per minute
Electricity Use	42 watts (excludes lights)
DOE Weighted CFM/W	224 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- Reversible plywood blades
- Remote control with batteries is included

SIZE

56" dia., 18" ht.
80" lead wires.

LAMP

18w LED Module,
3000K, 90 CRI,
1400 source lumens, dimmable.



Glandon

P2586-8130K
shown with Driftwood blades

FINISHES

- Gilded Iron - 71
- Antique Nickel - 81

Glandon offers a sophisticated design that is ideal for settings requiring a touch of modern flair. Six reversible blades in a walnut/driftwood faux wood finish are strapped by a sleek Antique Nickel metal bar for an unexpected industrial detail. The 60" Glandon ceiling fan features a 17w LED module (3000K color temperature) with a shatterproof white opal shade and a dual mount system. Full range dimming and remote control is included.

Modern Style

Reversible Blades

Opal Shade

Glandon

P2586-7130K Gilded Iron



Driftwood

Toasted Oak

P2586-8130K Antique Nickel



Driftwood

Classic Walnut



P2586-7130K
shown with Toasted Oak blades



P2586-8130K
shown with Classic Walnut blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,036 cubic feet per minute
Electricity Use	84 watts (excludes lights)
DOE Weighted CFM/W	96 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Reversible plywood blades
- White opal shatterproof shade
- Remote control with batteries is included
- Add the P2667-31 WiFi remote

SIZE

60" dia., 17-1/8" ht
80" lead wires.

LAMP

17w LED Module,
3000K, 90 CRI,
1400 source lumens, dimmable.



Live An Open Life

A neutral color palette adds to the airiness of an open floor plan.

1

Use a ceiling fan with a light kit to provide both light and cooling power in the living area.

2

Make an open-concept space an entertainer's paradise with a kitchen that flows into the living areas.

3

Choose lighting as a single focal point for each of the areas to create room-like settings.

Greer

P2584-81
shown with Classic Walnut blades

- FINISHES**
- Gilded Iron - 71
 - Antique Nickel - 81

This five-blade 54" Greer ceiling fan complements either industrial or farmhouse decor. It comes with a wire meshed shade light kit that uses two vintage LED lamps (included). Remote control is also included. Greer can be hung on a flat or sloped ceiling due to its dual mount system.

Industrial Design

Dual Mount System

Wire Mesh Shade

Greer

P2584-71 Gilded Iron



Driftwood

Toasted Oak

P2584-81 Antique Nickel



Driftwood





Classic Walnut



P2584-71
shown with Toasted Oak blades



P2584-81
shown with Driftwood blades

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	4,794 cubic feet per minute	<ul style="list-style-type: none">Limited Lifetime WarrantyDual Mount (flat or sloped ceiling-45°)AC MotorReversible plywood bladesWire basket shade light kitRemote control with batteries is includedRemote control may be replaced with P2630-30 wall controlAdd the P2667-31 WiFi remote	54" dia., 21-5/8" ht
Electricity Use	65 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	82 CFM/W		LAMP
			Two medium base 2200K 5.5w vintage LED lamps included. 500 lumens/lamp, 80 CRI, dimmable. 6.5w LED or 60W incandescent max/socket.
 <div>Remote Control Included <i>Three-speed fan operation</i> <i>Full-range dimming for light</i></div>		<div>Fixtures shown with V6.55T19DLED922/JA8 vintage lamps.</div> <div></div>	



Remote Control Included
Three-speed fan operation
Full-range dimming for light

Chapin

P250022-108
shown with Distressed Walnut blades

FINISHES

- Antique Nickel - 081
- Oil Rubbed Bronze - 108
- Graphite - 143

The Chapin Collection effortlessly unites a spacious room, creating an atmosphere that's both relaxing and reviving. Antique nickel, Graphite, or oil rubbed bronze finishes complement each other with four plywood blades and a dual mount canopy for a design destined to provide a truly relaxing experience.

Relaxed Style

Dual Mount System


Plywood Blades



P250022-081
shown with Driftwood blades



P250022-108
shown with American Walnut blades



P250022-143
shown with Grey Weathered Wood blades

Chapin

P250022-081 Antique Nickel




- Driftwood
- Classic Walnut

P250022-108 Oil Rubbed Bronze



- Distressed Walnut
- American Walnut

P250022-143 Graphite



- Graphite
- Gray Weathered Wood

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,543 cubic feet per minute
Electricity Use	81 watts (excludes lights)
DOE Weighted CFM/W	87 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Reversible plywood blades
- Compatible with universal light kits
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

54" dia., 14-1/2" ht.
80" lead wires.




Bedwin

P250024-081
shown with Driftwood blades

FINISHES

- Antique Nickel - 081
- Galvanized - 141
- Graphite - 143


Recall charming, rustic lattice work with the Bedwin Collection's farmhouse-inspired ceiling fan. With three finishes to pick from and four rough hewn plywood blades circling a handsome dual mount canopy, this ceiling fan is sure to help transform any living space into a cool paradise of relaxation.




Plywood Blades

Dual Mount System

Farmhouse Inspired Design



P250024-081
shown with Classic Walnut blades



P250024-141
shown with Gray Weathered Wood blades



P250024-143
shown with Graphite blades

Bedwin

P250024-081 Antique Nickel



- Driftwood
- Classic Walnut

P250024-141 Galvanized



- Driftwood
- Gray Weathered Wood

P250024-143 Graphite



- Graphite
- Gray Weathered Wood

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,044 cubic feet per minute
Electricity Use	34 watts (excludes lights)
DOE Weighted CFM/W	192 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Reverse direction control

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- Reversible plywood blades
- Compatible with universal light kits
- Remote control with batteries is included

SIZE

56" dia., 15-1/2" ht.
80" lead wires.



Soar

P2542-2030K
shown with Walnut blades

FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- White - 30

With a white opal shade and a 17W dimmable LED module, the 54" Soar ceiling fan offers energy and cost-savings benefits for a variety of living spaces. The four-blade fan comes with a remote control and is available in Brushed Nickel, Antique Bronze and white finishes. LED source features a 3000K-color temperature. Soar features a dual mount system and includes a remote control with batteries.

Dual Mount System

White Opal Shade

Dimmable LED Light

Soar

P2542-0930K Brushed Nickel




Black

P2542-2030K Antique Bronze



Walnut

P2542-3030K White



White



P2542-0930K
shown with Black blades



P2542-2030K
shown with Walnut blades



P2542-3030K
shown with White blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,814 cubic feet per minute
Electricity Use	65 watts (excludes lights)
DOE Weighted CFM/W	83 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Non-reversible plywood blades
- White opal shatterproof lens
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

54" dia., 15" ht.
80" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Harranvale

P2540-14330K
shown with Graphite blades

FINISHES

- Antique Bronze - 20
- White - 30
- Graphite - 143

The 54" Harranvale features a design that incorporates mixed metal design details that is very popular in today's home decor. Featuring reversible blades and opal glass shade, fans are available in three finish options: Antique Bronze with brushed bronze accent; Graphite with brushed nickel accent; and White with brushed nickel accent. Harranvale features a dual mount system and includes a remote control with batteries.

Mixed Metal Design

Opal Glass Shade

Reversible Blades



P2540-2030K
shown with Medium Cherry blades
and Brushed Bronze accent



P2540-3030K
shown with White blades
and Brushed Nickel accent



P2540-14330K
shown with American Walnut blades
and Brushed Nickel accent

Harranvale

P2540-2030K Antique Bronze



- Classic Walnut
- Medium Cherry

P2540-3030K White



- White
- White

P2540-14330K Graphite



- Graphite
- American Walnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,121 cubic feet per minute
Electricity Use	66 watts (excludes lights)
DOE Weighted CFM/W	87 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20")
- AC Motor
- Reversible plywood blades
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

54" dia., 16-3/8" ht.
80" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Glenfalls

P250021-028-30
shown with Matte White blades and Black Chrome accents

FINISHES

- Brushed Nickel - 009
- Matte White- 028
- Matte Black - 031

Glenfalls highlights its beautiful simulated wood fan blades with bright metallic accents on the blade arms and tips to create a timeless yet modern design. Glenfalls is ideal for cooling large living areas in sophisticated style.

Timeless Design

Metallic Accents

Dimmable LED Light

Glenfalls

P250021-009-30 Brushed Nickel



Chestnut

P250021-028-30 Matte White



Matte White

P250021-031-30 Matte Black



Matte Black



P250021-009-30
shown with Chestnut blades
and Brushed Nickel accents



P250021-028-30
shown with Matte White blades
and Black Chrome accents



P250021-031-30
shown with Matte Black blades
and Brushed Nickel accents

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,393 cubic feet per minute
Electricity Use	85 watts (excludes lights)
DOE Weighted CFM/W	84 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20")
- AC Motor
- Plywood blades
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with the P2667-31 WiFi Remote

SIZE

56" dia., 14-7/8" ht.
80" lead wires.

LAMP

24w LED Module, 3000K,
90 CRI, 2000 source lumens,
dimmable.



Claret

P250007-108-30
shown with Antique Wood blades

FINISHES

- Brushed Nickel - 009
- Matte Black - 031
- Oil Rubbed Bronze - 108

Claret gracefully blends old and new with an eye-catching fluted motor housing paired with long blade arms. With its unique take on a classic design, Claret will make a statement in a variety of interiors.

Fluted Motor Housing

Statement-Making

Dimmable LED Light



P250007-009-30
shown with Matte Black blades




P250007-031-30
shown with Distressed Ebony blades



P250007-108-30
shown with Chestnut blades

Claret

P250007-009-30 Brushed Nickel




Matte Black
American Walnut

P250007-031-30 Matte Black



Distressed Ebony
Gray Weathered Wood

P250007-108-30 Oil Rubbed Bronze



Antique Wood
Chestnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,553 cubic feet per minute
Electricity Use	61 watts (excludes lights)
DOE Weighted CFM/W	106 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Reversible plywood blades
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with the P2667-31 WiFi Remote

SIZE

54" dia., 15-1/8" ht.
80" lead wires.

LAMP

18w LED Module, 3000K,
90 CRI, 1400 source lumens,
dimmable.



Graceful

P2544-0930K
shown with Medium Cherry blades

FINISHES

- Brushed Nickel - 09
- Polished Chrome - 15
- Antique Bronze - 20

Refresh your living space with the crisp, clean style of the 54" Graceful fan. With a white opal glass shade and a 17W dimmable LED module, the five-blade fan comes with a remote control and is available in Brushed Nickel, polished chrome and Antique Bronze finishes. LED source offers a 3000K-color temperature, energy savings and maintenance benefits for the home.



P2544-0930K
shown with Silver blades




P2544-1530K
shown with Toasted Oak blades



P2544-2030K
shown with American Walnut blades

Graceful

P2544-0930K Brushed Nickel



- Medium Cherry
- Silver

P2544-1530K Polished Chrome



- Toasted Oak
- Silver

P2544-2030K Antique Bronze



- Medium Cherry
- American Walnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,454 cubic feet per minute
Electricity Use	60 watts (excludes lights)
DOE Weighted CFM/W	83 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Reversible plywood blades
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

54" dia., 16-3/8" ht.
80" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Gust

P2582-0930K
shown with Silver blades

FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- Graphite - 143

This five-blade 54" Gust ceiling fan features a white opal glass shade that is available in a Brushed Nickel, Antique Bronze or Graphite finish. A remote control is included. Gust has a dual mount system to offer greater flexibility when installing. The 18W dimmable, 3000K LED module provides energy and cost-savings benefits to the homeowner.



Sleek Design

Dual Mount System

Dimmable LED Light



P2582-0930K
Shown with Silver blades



P2582-2030K
Shown with Walnut blades



P2582-14330K
Shown with Graphite blades

Gust

P2582-0930K Brushed Nickel



Silver

P2582-2030K Antique Bronze



Walnut

P2582-14330K Graphite



Graphite

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,242 cubic feet per minute
Electricity Use	65 watts (excludes lights)
DOE Weighted CFM/W	87 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-18.5")
- AC Motor
- Manual reverse switch
- Non-reversible plywood blades
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

54" dia., 16" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Casual, Modern Charm

Craftsman style gets modern flair with clean and bright design.

1

Hang a sleek Gust fan from a paneled ceiling for Craftsman style with a modern edge.

2

Pair farmhouse-style furniture with cozy textures and neutral colors for casual comfort.

3

Break up a bright space visually with a handcrafted, dark wood door.



Kudos

P2568-0930K
shown with American Walnut blades

FINISH
● Brushed Nickel - 09

This five-blade 52" Kudos ceiling fan features a clear Fresnel glass shade. Available in a Brushed Nicke finish and includes a remote control. The Kudos features a dual mount system to offer greater flexibility when installing. The 18W dimmable, 3000K LED module provides energy and cost-savings benefits to the homeowner.


Fresnel Glass Shade

Dual Mount System

Dimmable LED Light

Kudos

P2568-0930K Brushed Nickel



American Walnut
Silver



P2568-0930K
shown with Silver blades



P2568-0930K
shown with American Walnut blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,160 cubic feet per minute
Electricity Use	60 watts (excludes lights)
DOE Weighted CFM/W	91 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-18.5")
- Downrod installation only. Can not be flush mounted.
- AC Motor
- Reversible plywood blades
- Clear Fresnel glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

52" dia., 17-5/8" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Fresno

P2548-2030K
shown with Cherry blades

FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- White - 30

Five-blade 60" Fresno ceiling fan features an LED light source, offering both form and function with energy and cost-savings benefits. A white opal glass shade features an 18W dimmable, 3000K LED module. A remote control with full range dimming and remote control is included.

Clean Design

Dimmable LED Light

White Opal Glass Shade

Fresno

P2548-0930K Brushed Nickel



Black
Silver

P2548-2030K Antique Bronze



Cherry
Dark Walnut

P2548-3030K White



White
White



P2548-0930K
shown with Silver blades



P2548-2030K
shown with Dark Walnut blades



P2548-3030K
shown with White blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,718 cubic feet per minute
Electricity Use	79 watts (excludes lights)
DOE Weighted CFM/W	80 CFM/W



Full Function Remote Control Included
Three-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-17.5°)
- AC Motor
- Reversible plywood blades
- White opal glass shade
- Remote control with batteries is included, receiver mounted in motor.
- Remote control may be replaced with P2631-30 wall control
- Add the P2667-31 WiFi remote

SIZE

60" dia., 17-1/4" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Tempt

P2578-16330K
shown with Chesnut blades

FINISHES

- Polished Chrome - 15
- Antique Bronze - 20
- Vintage Brass - 163

This five-blade 52" Tempt ceiling fan features a clear, double prismatic glass shade that is available in a Polished chrome, Antique Bronze or Vintage Brass finish. A remote is included. Tempt features a dual mount system to offer greater flexibility when installing. The 17w dimmable, 3000K LED module provides energy and cost-savings benefits to the homeowner.

Prismatic Glass Shade

Dual Mount System

Dimmable LED Light



P2578-1530K
shown with Medium Cherry blades



P2578-2030K
shown with American Walnut blades



P2578-16330K
shown with Dark Cherry blades

Tempt

P2578-1530K Polished Chrome



Medium Cherry
Black

P2578-2030K Antique Bronze



Medium Cherry
American Walnut

P2578-16330K Vintage Brass



Dark Cherry
Chesnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,314 cubic feet per minute
Electricity Use	63 watts (excludes lights)
DOE Weighted CFM/W	78 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Reversible plywood blades
- Clear double prismatic glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control
- Add the P2667-31 WiFi remote

SIZE

52" dia., 16-1/4" ht.
80" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Verada

P2558-0930K
shown with Medium Cherry blades

FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20

This five-blade 52" Verada ceiling fan combines a linen glass shade with a 17W LED source. Available in a Brushed Nickel or Antique Bronze finish. Verada features a dual mount system and a three-speed pull chain fan switch, as well as an on/off pull chain switch to operate the light. LED light kit features a 3000K color temperature.

Dual Mount System



LED Light

Linen Glass Shade



P2558-0930K
shown with white linen glass
and American Walnut blades



P2558-2030K
shown with tea stained linen glass
and Medium Cherry blades

Verada

P2558-0930K Brushed Nickel



Medium Cherry

American Walnut

P2558-2030K Antique Bronze



Medium Cherry

American Walnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,445 cubic feet per minute
Electricity Use	65 watts (excludes lights)
DOE Weighted CFM/W	79 CFM/W

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-30°)
- AC Motor
- Reversible plywood blades
- Linen glass shade
- 3 Speed pull chain switches
- Add a P2630-30 wall control or P2662-01 hand-held remote control
- Add the P2667-31 WiFi remote

SIZE

52" dia., 16" ht.
80" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable (with
added remote wall control).



Billows

P2552-09
shown with White Washed blades

- FINISHES**
- Brushed Nickel - 09
 - Antique Bronze - 20
 - Forged Black - 80

With a sophisticated and traditional design, the Billows offers both form and function with two energy efficient LED lamps, featuring a 3000K color temperature. The 52" Billows ceiling fan features an LED light kit with white opal glass shade and five reversible blades. The fans are available in Brushed Nickel, Antique Bronze and Forged Black finishes.

Traditional Design

Reversible Blades

White Opal Glass Shade



P2552-09
shown with Silver blades



P2552-20
shown with American Walnut blades



P2552-80
shown with Toasted Oak blades

Billows

P2552-09 Brushed Nickel



White Washed
Silver

P2552-20 Antique Bronze



Cherry
American Walnut

P2552-80 Forged Black



Black
Toasted Oak

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	4,682 cubic feet per minute	<ul style="list-style-type: none">Limited lifetime warrantyDual Mount (flat or sloped ceiling-18.5°)AC MotorReversible plywood bladesWhite opal glass shadeAdd a P2630-30 wall control or P2662-01 hand-held remote controlAdd the P2667-31 WiFi remote	52" dia., 17-1/2" ht.
Electricity Use	59 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	92 CFM/W		LAMP
			Two medium base 3000K 9w LED lamps included. 800 lumens/lamp, 90 CRI, dimmable (with added remote wall control). 10w LED max/socket.



Accessorize with Style



Pops of blue and plenty of collectibles give a room personality.

1

Select a ceiling fan like Billows, whose whitewashed-finish blades accentuate the organic textures in the room.

2

Follow your style by curating your space with treasures that you love.

3

Pick a focal point like the rough stone fireplace and use its natural color palette to inform the color choices for the rest of the space.

Signature

P2521-09WA
Shown with Dark Walnut blades

FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- Forged Bronze - 77
- Forged Black - 80
- Antique Nickel - 81

A 52" Signature 5-blade fan features reversible blades and a 30-year limited warranty. A powerful AirPro motor features a 3-speed, triple-capacitor control that can also be reversed to provide year-round comfort. The Signature fan will also accept a universal light kit.

Powerful Motor

Reversible Blades

Traditional Style



P2521-09
shown with White blades



P2521-09CH
Shown with Cherry blades




P2521-80
Shown with Dark Cherry blades



P2521-20
Shown with P2602-20WB light kit*
with Classic Walnut blades
* Light kit sold separately.

Signature


P2521-09 Brushed Nickel



P2521-09CH Brushed Nickel




P2521-09WA Brushed Nickel



P2521-20 Antique Bronze



P2521-80 Forged Black



ENERGY INFORMATION AT HIGH SPEED

Airflow	4,701 cubic feet per minute
Electricity Use	65 watts (excludes lights)
DOE Weighted CFM/W	84 CFM/W


FEATURES

- 30-year limited warranty
- 45° Canopy
- Close-to-ceiling installation
- SureConnect® System
- AC Motor
- Compatible with universal light kits
- Three speed pull-chain switch
- Add a P2630-30 wall control or P2662-01 hand-held remote control
- Add the P2667-31 WiFi remote

SIZE

52" dia., 14-5/8" ht. (CTC 11-9/16" ht.), 80" lead wires.

CTC INSTALLATION



Trevina II 44"

The Trevina collection features fans with a signature three-blade design. Perfect for modern or traditional interiors, each fan includes an LED light source to help extend your day into the evening as you and your family relax in your peaceful retreat.

FINISHES

- Brushed Nickel - 09
- Satin White - 28
- Black - 31

P2555-0930K Brushed Nickel




Silver

P2555-2830K Satin White



White

P2555-3130K Black



Black

Distressed Ebony



Detail of P2555-0930K shown with P2668-09 blank plate and Silver blades

BLANK PLATE

P2668-09 Brushed Nickel

P2668-28 Satin White

P2668-31 Black



P2668-09



P2668-28



P2668-31



P2555-0930K
shown with Silver blades



P2555-2830K
shown with White blades



P2555-3130K
shown with Distressed Ebony blades

ENERGY INFORMATION AT HIGH SPEED

Airflow 4306 cubic feet per minute
Electricity Use 42 watts (excludes lights)
DOE Weighted CFM/W 122 CFM/W



Wall Control Included
Four-speed fan operation
Full-range dimming for light
Includes switch plate cover

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Reversible MDF blades
- Removable light kit. Blank plate sold separately.
- White Opal glass
- Compatible with remote or hardwired wall controls (P2630, P2661-01, P2662-01, P2663-01, P2665 (sold separately))

SIZE

44" dia., 15-5/8" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI, 1400 source lumens, dimmable.



Trevina II 52"

FINISHES

- Architectural Bronze - 129
- Painted Nickel - 152

P2553-129WB Architectural Bronze



Medium Cherry
Classic Walnut

P2553-152WB Painted Nickel



Black
Silver



P2553-129WB
shown with Medium Cherry blades



P2553-152WB
shown with Black blades

ENERGY INFORMATION AT HIGH SPEED

Airflow 5,296 cubic feet per minute
Electricity Use 56 watts (excludes lights)
DOE Weighted CFM/W 112 CFM/W

FEATURES

- Limited lifetime warranty (LED model)
- Dual Mount (flat or sloped ceiling-30°)
- AC Motor
- White opal glass
- Reversible plywood blades
- No switch included
- Compatible with remote control or hardwired wall controls (P2618-01, P2630, P2662-01 (sold separately))

SIZE

52" dia., 15-3/4" ht.
80" lead wires.

LAMP

Two medium base 3000K 9.5w LED lamps included. 800 lumens/lamp, 80 CRI, dimmable. 60w max/ socket.



P2556-3030K
shown with White blades



P2556-2030K
shown with Medium Cherry blades



P2556-0930K
shown with Silver blades

ENERGY INFORMATION AT HIGH SPEED

Airflow 4,916 cubic feet per minute
Electricity Use 62 watts (excludes lights)
DOE Weighted CFM/W 89 CFM/W



Wall Control Included
Four-speed fan operation
Full-range dimming for light
Includes switch plate cover

FEATURES

- Limited lifetime warranty (LED model)
- Dual Mount (flat or sloped ceiling-30°)
- Close-to-ceiling installation
- AC Motor
- White opal glass
- Reversible plywood blades

SIZE

52" dia., 15-3/4" ht.
80" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI, 1400 source lumens, dimmable.



Coolly Modern



Wow family and friends with a dramatic ceiling treatment.

1
Install a ceiling fan like Trevina, whose contemporary design brings both form and function.

2
Add molding or beams to the ceiling to create a spectacular "fifth wall."

3
Choose wood floors and cabinetry as a warming element to unite an open floor plan.


Signature Plus II

Five-blade 54" Signature Plus II ceiling fan features an integrated LED light source, offering both form and function with energy and cost-savings benefits. The light kit contains a white opal shatterproof shade and is comprised of a 17W dimmable 3000K LED module.


FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- White - 30


P2539-0930K Brushed Nickel



P2539-2030K Antique Bronze



P2539-3030K White



P2539-0930K
shown with Silver blades



P2539-2030K
shown with Medium Cherry blades



P2539-3030K
shown with White blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,331 cubic feet per minute
Electricity Use	65 watts (excludes lights)
DOE Weighted CFM/W	92 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- 45° Canopy
- Downrod mount only
- AC Motor
- Reversible MDF blades
- White opal shatterproof shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

54" dia., 15-1/2" ht.
80" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Signature Plus


FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- White - 30


P2530-09 Brushed Nickel



P2530-20 Antique Bronze



P2530-30W White



P2530-20
shown with P2645-01WB
light kit* and Classic
Walnut blades

*Light kit sold separately.



P2530-09
shown with Silver blades



P2530-20
shown with Classic Walnut blades



P2530-30W
shown with White blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,716 cubic feet per minute
Electricity Use	65 watts (excludes lights)
DOE Weighted CFM/W	84 CFM/W

FEATURES

- 30-year limited warranty
- 45° Canopy
- Downrod mount only
- AC Motor
- Compatible with universal light kits
- Three speed pull-chain switch
- Add a P2630-30 wall control or P2662-01 hand-held remote control
- Add the P2667-31 WiFi remote

SIZE

54" dia., 15" ht.
80" lead wires.




Clifton Heights

P2531-09
shown with Cherry blades

52" 4-blade Clifton Heights ceiling fan features distinctive, squared reversible blades. This contemporary styled fan offers great performance and value. The Clifton Heights fan features a powerful, 3-speed motor that can be reversed to provide year-round comfort. The Clifton Heights fan will also accept a universal light kit.

- FINISHES**
- Brushed Nickel - 09
 - Antique Bronze - 20



Clifton Heights

P2531-09 Brushed Nickel

- Natural Cherry
- Cherry

P2531-20 Antique Bronze

- Classic Walnut
- Cherry



ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE	CTC INSTALLATION
Airflow	4,373 cubic feet per minute	<ul style="list-style-type: none">• 30-year limited warranty• 45° Canopy• Close-to-ceiling installation• SureConnect System• AC Motor• Compatible with universal light kits• Three speed pull-chain switch• Add a P2630-30 wall control or P2662-01 hand-held remote control• Add the P2667-31 WiFi remote	52" dia., 15-3/4" ht. (CTC 11" ht.), 80" lead wires.	
Electricity Use	55 watts (excludes lights)			
DOE Weighted CFM/W	89 CFM/W			

AirPro NEW

P250080-015
shown with Black blades

FINISHES

- Brushed Nickel - 009
- Polished Chrome - 015
- Antique Bronze - 020
- White - 030
- Graphite - 143
- Matte Black - 31M

The AirPro 52" 5-blade ceiling fan refreshes interiors with a sleek, modern form. Five clean-lined fan blades extend outward from a streamlined motor housing that contains a powerful AC motor. Its versatile yet timeless design makes it ideal for a wide range of interior décor styles.

Powerful AC Motor

Timeless Design

Versatile



P250080-009
shown with
Grey Weatherd Wood blades



P250080-015
shown with
Rustic Charcoal blades



P250080-020
shown with
Distressed Walnut blades



P250080-030
shown with
Antique Wood blades



P250080-143
shown with
Graphite blades



P250080-31M
shown with
Rustic Charcoal blades

AirPro


FINISHES

- Brushed Nickel - 009
- Polished Chrome - 015
- Antique Bronze - 020
- White - 030
- Graphite - 143
- Matte Black - 31M


P250080-009 Brushed Nickel



P250080-015 Polished Chrome




P250080-020 Antique Bronze




P250080-030 White



P250080-143 Graphite



P250080-31M Matte Black



ENERGY INFORMATION AT HIGH SPEED

Airflow	4,591 cubic feet per minute
Electricity Use	58 watts (excludes lights)
DOE Weighted CFM/W	93 CFM/W

FEATURES

- 30-year limited warranty
- AC Motor
- Compatible with universal light kits
- Add a P2630 wall control or P2663-01 hand-held remote control

SIZE

52" dia., 12-5/8" ht.
80" lead wires.



FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black - 31M

P250081-009-WB Brushed Nickel



Grey Weathered Wood

Silver

P250081-030-WB White




White




Antique Wood

P250081-31M-WB Matte Black



Rustic Charcoal



Black


P250085-009-WB Brushed Nickel




Grey Weathered Wood

Silver

P250085-030-WB White




White




Antique Wood

P250085-31M-WB Matte Black



Rustic Charcoal



Black



P250081-009-WB
shown with
Grey Weatherd Wood blades



P250085-009-WB
shown with
Silver blades



P250081-030-WB
shown with
Antique Wood blades



P250085-030-WB
shown with
White blades



P250081-31M-WB
shown with
Black blades



P250085-31M-WB
shown with
Rustic Charcoal blades

FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black - 31M


P250082-009-WB Brushed Nickel




Grey Weathered Wood

Silver

P250082-030-WB White




White




Antique Wood

P250082-31M-WB Matte Black



Rustic Charcoal



Black






P250082-009-WB
shown with
Grey Weatherd Wood blades






P250082-030-WB
shown with
White blades



P250082-31M-WB
shown with
Rustic Charcoal blades

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	4,857 cubic feet per minute	<ul style="list-style-type: none">• 30-year limited warranty• AC Motor• P250081 series has white opal shatterproof shades.• P250085 series has clear seeded glass shades.• Add a P2630 wall control or P2663-01 hand-held remote control	52" dia., 18-3/4" ht.
Electricity Use	58 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	93 CFM/W		LAMP
			Four medium base 3000K 8.5w LED lamps included. 800 lumens/lamp, 80 CRI, non-dimmable.
			  

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	4,494 cubic feet per minute	<ul style="list-style-type: none">• 30-year limited warranty• AC Motor• Includes shatterproof shade• Add a P2630 wall control or P2663-01 hand-held remote control	52" dia., 16-11/16" ht.
Electricity Use	58 watts (excludes lights)		80" lead wires.
DOE Weighted CFM/W	92 CFM/W		LAMP
			Two medium base 3000K 8.5w LED lamps included. 800 lumens/lamp, 80 CRI, non-dimmable.
			  

AirPro NEW Energy Star

P250084-009
shown with Silver blades

FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black - 31M



The AirPro 52" 5-blade ceiling fan refreshes interiors with a sleek, modern form. Five clean-lined fan blades extend outward from a streamlined motor housing that contains a powerful AC motor. Its versatile yet timeless design makes it ideal for a wide range of interior décor styles.

Powerful AC Motor

Versatile

Timeless Design

AirPro Energy Star

FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black - 31M

P250084-009 Brushed Nickel




- Grey Weathered Wood
- Silver

P250084-030 White



- White
- Antique Wood

P250084-31M Matte Black



- Rustic Charcoal
- Black



P250084-009
shown with
Grey Weatherd Wood blades



P250084-030
shown with
Antique Wood blades



P250084-31M
shown with
Rustic Charcoal blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,337 cubic feet per minute
Electricity Use	45 watts (excludes lights)
DOE Weighted CFM/W	112 CFM/W

FEATURES

- 30-year limited warranty
- AC Motor
- Add a P2630 wall control or P2663-01 hand-held remote control
- Will accept a universal Energy Star rated light kit

SIZE

52" dia., 16-11/16" ht.
80" lead wires.



FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black - 31M


P250077-009-WB Brushed Nickel



Grey Weathered Wood

Silver


P250077-030-WB White



White

Antique Wood

P250077-31M-WB Matte Black



Rustic Charcoal

Black



P250077-009-WB
shown with
Grey Weatherd Wood blades



P250077-030-WB
shown with
Antique Wood blades



P250077-31M-WB
shown with
Black blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,311 cubic feet per minute
Electricity Use	45 watts (excludes lights)
DOE Weighted CFM/W	111 CFM/W

FEATURES

- 30-year limited warranty
- AC Motor
- Includes shatterproof shades
- Add a P2630 wall control or P2663-01 hand-held remote control

SIZE

52" dia., 13-1/2" ht.
80" lead wires.

LAMP

Four medium base
3000K 9w LED lamps included.
800 lumens/lamp, 90 CRI,
dimmable.



FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black - 31M


P250078-009-WB Brushed Nickel



Grey Weathered Wood

Silver


P250078-030-WB White



White

Antique Wood

P250078-31M-WB Matte Black



Rustic Charcoal

Black



P250078-009-WB
shown with
Silver blades



P250078-030-WB
shown with
White blades



P250078-31M-WB
shown with
Rustic Charcoal blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,311 cubic feet per minute
Electricity Use	45 watts (excludes lights)
DOE Weighted CFM/W	111 CFM/W

FEATURES

- 30-year limited warranty
- AC Motor
- Includes shatterproof shade
- Add a P2630 wall control or P2663-01 hand-held remote control

SIZE

52" dia., 13-1/2" ht.
80" lead wires.

LAMP

Two medium base
3000K 9w LED lamps included.
800 lumens/lamp, 90 CRI,
dimmable.



AirPro

P250066-31M
shown with Distressed Ebony blades

FINISHES

- Brushed Nickel - 009
- White - 030
- Matte Black - 31M



An Energy Star rated AC motor gives this ceiling fan remarkable energy efficiency and powerful airflow while featuring classic good looks. Five fan blades circulate air comfortably. Versatile control options include remote control, WiFi and wall control choices. Its clean lines and a five-blade design complement a variety of interiors.

Clean Lines

Energy-Efficient

Classic Design

AirPro

P250066-009 Brushed Nickel



- Natural Cherry
- Cherry

P250066-030 White



- White
- Washed Oak

P250066-31M Matte Black



- Matte Black
- Distressed Ebony



P250066-009
shown with Natural Cherry blades



P250066-030
shown with Washed Oak blades



P250066-31M
shown with Distressed Ebony blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4986 cubic feet per minute
Electricity Use	44 watts (excludes lights)
DOE Weighted CFM/W	134 CFM/W

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-30°)
- AC Motor
- Add a P2630-30 or P2613-30 wall control or P2663-01 hand-held remote control
- Add the P2667-31 WiFi remote

SIZE

52" dia., 13-1/2" ht.
80" lead wires.




52" Performance


FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- White - 30

P2503-09 Brushed Nickel




Natural Cherry




Cherry

P2503-20 Antique Bronze




Classic Walnut




Medium Cherry

P2503-30W White



White



White



P2503-20
shown with P2645-20 light kit*
and Medium Cherry blades
* Light kit sold separately.



45° Canopy


- Standard canopy works with sloped ceilings up to 45°. (12:12 ceiling pitch)
- Outlet box mounting plate includes convenient hands-free hanger for wiring.
- Oversize, textured die-cast hanger ball reduces vibrations that can cause noise and wobble.
- Dual-mount for downrod or close-to-ceiling installation (on select fans)



P2503-09
shown with Natural Cherry blades



P2503-20
shown with Medium Cherry blades




P2503-30W
shown with White blades



SureConnect® System

- Motor screws pre-installed in blade arms to prevent them from falling out during installation.
- Special guides perfectly align blade arms to motor.
- Preinstalled rubber isolation pads prevent vibration noise.

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE	CTC INSTALLATION
Airflow	5,143 cubic feet per minute	<ul style="list-style-type: none">• Limited lifetime warranty• 45° Canopy• Close-to-ceiling installation• SureConnect® System• AC Motor• Compatible with universal light kits• Three speed pull-chain switch• Add a P2630-30 wall control or P2662-01 hand-held remote control• Add the P2667-31 WiFi remote	52" dia., 15-1/4" ht. (CTC 10-1/2" ht.), 80" lead wires.	
Electricity Use	70 watts (excludes lights)			
DOE Weighted CFM/W	85 CFM/W			




42" Builder Fan


FINISHES

- Brushed Nickel - 09
- Antique Bronze - 20
- White - 30

P2500-09 Brushed Nickel




Cherry




Natural Cherry

P2500-20 Antique Bronze




Classic Walnut




Medium Cherry

P2500-30 White



White



Washed Oak




P2500-09
shown with P2600-09WB light kit*
and with Cherry blades
* Light kit sold separately.







P2500-09
shown with Cherry blades



P2500-20
shown with Classic Walnut blades



P2500-30
shown with White blades

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE	CTC INSTALLATION
Airflow	3,053 cubic feet per minute	<ul style="list-style-type: none">• 15-year limited warranty• 23° Canopy• Close-to-ceiling installation• SureConnect® System• AC Motor• Compatible with universal light kits• Three speed pull-chain switch• Add a P2630 wall control or P2662-01 hand-held remote control	42" dia., 12-3/8" ht. (CTC 8-5/16" ht.), 72" lead wires.	
Electricity Use	46 watts (excludes lights)			
DOE Weighted CFM/W	64 CFM/W			
		<div></div>		



52" Builder Fan with Light Kit

FINISHES

- Brushed Nickel - 009
- White - 030
- Architectural Bronze - 129

P2599-09 Brushed Nickel

- Natural Cherry
- Cherry

P2599-30 White

- White
- White

P2599-129 Antique Bronze

- Classic Walnut
- Medium Cherry



P2599-09
shown with Cherry blades



P2599-30
shown with White blades



P2599-129
shown with Classic Walnut blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,474 cubic feet per minute
Electricity Use	65 watts (excludes lights)
DOE Weighted CFM/W	82 CFM/W

FEATURES

- 30-year limited warranty
- Dual Mount (flat or sloped ceiling-30°)
- AC Motor
- MDF/Plywood hybrid blades
- Etched white glass shade
- Three speed pull-chain switch
- Add a P2630-30 wall control or P2663-01 hand-held remote control

SIZE

52" dia., 17-5/8" ht.
80" lead wires.

LAMP

Two medium base 3000K 8.5w LED lamps included. 800 lumens/lamp, 80 CRI, non-dimmable.



52" Builder Fan

FINISHES

- Brushed Nickel - 09
- Polished Chrome - 15
- Antique Bronze - 20
- White - 30
- White - 30W
- Graphite - 143

P2501-09 Brushed Nickel

- Natural Cherry
- Cherry

P2501-15 Polished Chrome

- Black
- Driftwood

P2501-20 Antique Bronze

- Medium Cherry
- Classic Walnut

P2501-30 White

- White
- Washed Oak

P2501-30W White

- White
- White

2501-143 Graphite


- Graphite
- Black



P2501-09
shown with Cherry blades



P2501-20
shown with Medium Cherry blades



P2501-30W
shown with White blades



P2501-15
shown with Driftwood blades



P2501-30
shown with Washed Oak blades



P2501-143
shown with Black blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,991 cubic feet per minute
Electricity Use	63 watts (excludes lights)
DOE Weighted CFM/W	98 CFM/W

FEATURES

- 30-year limited warranty
- 45° Canopy
- Close-to-ceiling installation with accessory
- SureConnect® System
- AC Motor
- Compatible with universal light kits
- Add a P2630 wall control or P2663-01 hand-held remote control

SIZE

52" dia., 13-1/2" ht.
80" lead wires.



Edgefield

P250016-129
shown with Medium Cherry blades

FINISHES

- Brushed Nickel - 009
- White - 030
- Architectural Bronze - 129



The 52" Edgefield fan is energy efficient and lightweight. A DC motor provides ultra quiet operation and the efficiency of the latest fan technology along with the simple convenience of a four-speed pull chain switch. Edgefield features a reversible motor for year round comfort and is available in three finish options. Pair with a universal light kit for a more customized look.

Ultra Quiet

Lightweight

Energy Efficient

Edgefield

P250016-009 Brushed Nickel



- American Walnut
- Cherry

P250016-030 White



- White
- White

P250016-129 Antique Bronze



- Classic Walnut
- Medium Cherry



P250016-009
shown with American Walnut blades



P250016-030
shown with White blades



P250016-129
shown with Medium Cherry blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,741 cubic feet per minute
Electricity Use	34 watts (excludes lights)
DOE Weighted CFM/W	179 CFM/W

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-18.5")
- DC motor
- Manual reverse switch
- MDF blades
- Compatible with universal light kits
- Three speed pull-chain switch
- Will not accept a wall or remote control

SIZE

52" dia., 14-9/16" ht.
80" lead wires




Drift

P250008-009
shown with Silver blades

- FINISHES**
- Brushed Nickel - 009
 - White - 030
 - Architectural Bronze - 129

Enhance your home with the perfect mix of form and function with the 32" four-blade Drift fan. Ideal for smaller spaces, such as closets, mudrooms and laundry rooms, Drift features a powerful motor and a steep pitch to circulate a lot of air within a smaller space.



P250008-009
shown with Driftwood blades



P250008-030
shown with Driftwood blades



P250008-129
shown with Classic Walnut blades

Drift

P250008-009 Brushed Nickel



Driftwood
Silver

P250008-030 White



White
Driftwood

P250008-129 Architectural Bronze



Medium Cherry
Classic Walnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	2,518 cubic feet per minute
Electricity Use	35 watts (excludes lights)
DOE Weighted CFM/W	88 CFM/W

FEATURES


- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-30°)
- Close-to-ceiling installation
- AC Motor
- Reversible MDF blades
- Compatible with universal light kits
- Three speed pull-chain switch
- Add a P2630-30 wall control or P2663-01 hand-held remote control

SIZE

32" dia., 14-3/8" ht.
80" lead wires.



CTC INSTALLATION



44" Braden

The Braden 44 inch, three-blade, hugger-style ceiling fan features clean lines and a classic, sleek design that is ideal for Modern and Contemporary interiors. With its simple and elegant look and Brushed Nickel, Matte Black or Matte White finish, Braden complements most décor schemes.

FINISHES

- Brushed Nickel - 009
- Matte White - 028
- Matte Black - 031

P250058-009-30 Brushed Nickel

American Walnut

Silver

P250058-028-30 Matte White

Natural Cherry

White

P250058-031-30 Matte Black

Distressed Ebony

Matte Black



P250058-009-30
shown with American Walnut blades



P250058-028-30
shown with Natural Cherry blades



P250058-031-30
shown with Distressed Ebony blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	3,212 cubic feet per minute
Electricity Use	45 watts (excludes lights)
DOE Weighted CFM/W	78 CFM/W



Full Function Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Hugger low profile mounting
- AC Motor
- Reversible plywood blades
- Frosted shatterproof shade
- Full function remote control with batteries is included
- Remote control may be replaced with P2667-31 WiFi remote control

SIZE

44" dia., 9-7/8" ht.
12" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI, 1400 source lumens, dimmable.



Featuring Braden and Clarion

Sweet Dreaming

Muted colors and a light, airy feeling offer a dreamy look to this bedroom. The Braden hugger fan lends a contemporary touch while keeping the room comfortable and welcoming. A feature wall of lightly distressed wood paneling is accented by a pair of Clarion wall sconces, whose clear glass shade and clean styling embrace minimalist modernity and functional task lighting.

Braden

P2588-1530K
shown with Black blades

FINISHES

- Brushed Nickel - 09
- Polished Chrome - 15
- Architectural Bronze - 129

This Braden 56", three-blade, hugger-style ceiling fan features clean lines and a design that complements modern interiors. A white opal glass shade contains an integrated 18W LED module, offering both form and function with energy and cost-savings benefits. Featuring a larger motor, Braden moves more air than a traditional hugger ceiling fan.



Braden

P2588-0930K Brushed Nickel







- American Walnut
- Silver

P2588-1530K Polished Chrome

- American Walnut
- Black

P2588-12930K Architectural Bronze

- Medium Cherry
- Classic Walnut

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	4,263 cubic feet per minute	<ul style="list-style-type: none">Limited lifetime warrantyHugger low profile mountingAC MotorReversible plywood bladesWhite opal glass shadeFull function remote control with batteries is includedRemote control may be replaced with P2631-30 wall controlAdd the P2667-31 WiFi remote	56" dia., 9-7/8" ht.
Electricity Use	55 watts (excludes lights)		12" lead wires.
DOE Weighted CFM/W	85 CFM/W		LAMP
 Full Function Remote Control Included <i>Three-speed fan operation</i> <i>Full-range dimming for light</i> <i>Reverse direction control</i>			18w LED Module, 3000K, 90 CRI, 1400 source lumens, dimmable.
			    

Vox Fan

P2572-0930K
shown with Medium Cherry blades

- FINISHES**
- Brushed Nickel - 09
 - Antique Bronze - 20
 - White - 30

Five-blade 52" Vox hugger-style ceiling fan features an LED light source, offering both form and function with energy and cost-savings benefits. A white opal glass shade contains a 17W dimmable, 3000K LED module. A full function remote control is included. The fan mounts close to the ceiling and is available in popular Brushed Nickel, Antique Bronze and white finishes.



Dimmable LED Light

Modern Style

White Opal Glass Shade

Vox Fan

P2572-0930K Brushed Nickel



Medium Cherry

P2572-2030K Antique Bronze



American Walnut

P2572-3030K White



White



P2572-0930K
shown with Medium Cherry blades



P2572-2030K
shown with American Walnut blades



P2572-3030K
shown with White blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,276 cubic feet per minute
Electricity Use	62 watts (excludes lights)
DOE Weighted CFM/W	76 CFM/W



Full Function Remote Control Included
Three-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Hugger low profile mounting
- AC Motor
- Non-reversible plywood blades
- White opal glass shade
- Full function remote control with batteries is included
- Remote control may be replaced with P2631-30 wall control
- Add the P2667-31 WiFi remote

SIZE

52" dia., 11-5/8" ht.
8" lead wires.

LAMP

17w LED Module, 3000K, 90 CRI, 1400 source lumens, dimmable.




Lindale

P250028-129
shown with Distressed Walnut blades

- FINISHES**
- Matte White- 028
 - Antique Nickel - 081
 - Architectural Bronze - 129

Retreat for a little rest and relaxation under the gentle airflow offered by the Lindale collection's ceiling fan. A mid-century modern style blends with a flush mount design as four rectangular plywood blades attach to the fan's vase-inspired center. Select your favorite finish from three beautiful options to customize your Lindale fan for a perfect fit in your home décor design.



Flush Mount Design

Mid-Century Modern

Plywood Blades



P250028-028
shown with Brushed Nickel accents
and Matte White blades




P250028-081
shown with White Barnwood blades



P250028-129
shown with Matte Gold accents,
Classic Walnut blades and
optional P2669-129 Light Kit

Lindale


P250028-028 Matte White



P250028-081 Antique Nickel



P250028-129 Architectural Bronze



LINDALE LIGHT KIT

P2669-028 Matte White

P2669-081 Antique Nickel

P2669-129 Architectural Bronze

24w LED Module, 3000K, 90 CRI,
2000 source lumens, dimmable.

JA8



P2669-28



P2669-81



P2669-129

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,642 cubic feet per minute
Electricity Use	60 watts (excludes lights)
DOE Weighted CFM/W	87 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Hugger low profile mounting
- AC Motor
- Reversible plywood blades
- Accepts P2669 light kit, sold separately.
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

52" dia., 11-3/16" ht.
80" lead wires.

T20


Watermark icon

Light icon


*Light kits only are JA8

52” Hugger Fan

P2525-09 Brushed Nickel



P2525-20 White



P2525-09
shown with P2610-09WB light kit*
and with Cherry blades

* Light kit sold separately.



P2525-30
shown with White blades



P2525-09
shown with Cherry blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	3,229 cubic feet per minute
Electricity Use	56 watts (excludes lights)
DOE Weighted CFM/W	58 CFM/W

FEATURES

- 15-year limited warranty
- Hugger low profile mounting
- AC Motor
- Compatible with universal light kits
- Cannot be used with remote control
- Add a P2630-30 wall control


SIZE

52" dia., 8-1/8" ht.




42” Hugger Fan

P2524-09 Brushed Nickel



P2524-30 White



P2524-09
shown with P2602-09WB light kit*
and with Natural Cherry blades

* Light kit sold separately.



P2524-30
shown with White blades



P2524-09
shown with Natural Cherry blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	2,639 cubic feet per minute
Electricity Use	44 watts (excludes lights)
DOE Weighted CFM/W	72 CFM/W

FEATURES

- 15-year limited warranty
- Hugger low profile mounting
- AC Motor
- Compatible with universal light kits
- Cannot be used with remote control
- Add a P2630-30 wall control

SIZE

42" dia., 8-5/16" ht.





Featuring 54" Patio Fan and Maison

Outdoor Ceiling Fans

Enhance outdoor living areas



Scan with your camera on
your smartphone or visit
www.progresslighting.com/ceilingfans



Dan McGinty
Product Designer

Easy, Breezy, Coastal with Dan

Bring your home right to the ocean side with beach-inspired accents, organic furnishings and an overall relaxed feel. Designers often create a relaxed and open environment with soft throw blankets, pillows, cozy rugs and cushioned furniture to complete the Coastal look. Focus on an all-white color palette for your coastal inspired home, while incorporating in soft beachy hues to complement the look.

When it comes to selecting materials for flooring, décor and furniture, seek out dark or weathered wood pieces to emulate a seaside environment nestled nicely by the shore.



Shop this style at
www.progresslighting.com/coastal



Kasota

NEW

P250072-108-30
shown with Tan Linen blades

FINISHES

- Oil Rubbed Bronze - 108
- Graphite - 143
- Painted Nickel - 152

A sturdy metal housing and long lines bring contemporary style to Kasota. Three rectangular fan blades with long blade arms that span the entire length are finished in a linen-like texture that softens its modern look. Kasota is damp rated, making it ideal for outdoor and indoor settings. Inside. It has a DC motor for the highest efficacy and whisper-quiet operation. A full-function remote control with a battery and a LED light kit with a white opal glass shade is included.

Contemporary Style

Modern Look

White Opal Glass

Kasota

P250072-108-30 Oil Rubbed Bronze



Tan Linen

P250072-143-30 Graphite



Charcoal Linen

P250072-152-30 Painted Nickel



Charcoal Linen



P250072-108-30
shown with Tan Linen blades



P250072-143-30
shown with Charcoal Linen blades



P250072-152-30
shown with Charcoal Linen blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,844 cubic feet per minute
Electricity Use	31 watts (excludes lights)
DOE Weighted CFM/W	188 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- Remote control with batteries is included

SIZE

56" dia., 15" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Midvale

P250011-141-WB
shown with Galvanized Finish blades

FINISHES

- Matte White- 028
- Blistered Iron - 171
- Galvanized - 141

Midvale offers a nostalgic appeal, with vintage-style LED bulbs inside a clear seeded glass shade, a rustic cage frame, and a banded metal ceiling canopy to complete the charming look.

Vintage Style

Nostalgic Appeal

Clear Seeded Glass



P250011-028-WB
shown with Matte White blades




P250011-141-WB
shown with Galvanized blades



P250011-171-WB
shown with Blistered iron blades

Midvale

P250011-028-WB Matte White



Matte White

P250011-141-WB Galvanized Finish



Galvanized Finish

P250011-171-WB Blistered Iron



Blistered Iron

ENERGY INFORMATION AT HIGH SPEED

Airflow	7,627 cubic feet per minute
Electricity Use	84 watts (excludes lights)
DOE Weighted CFM/W	98 CFM/W



Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- ABS blades
- Clear seeded glass shade
- Remote control with batteries is included
- Remote control may be replaced with the P2667-31 WiFi Remote

SIZE

56" dia., 20-3/8" ht.
80" lead wires.

LAMP

Two medium base 2700K 7w vintage LED lamps included. 600 lumens/lamp, 90 CRI, dimmable. 7w LED max/socket.



Rudder

P250040-028-30
shown with Distressed White blades

- FINISHES**
- Matte White - 028
 - Matte Black - 031
 - Architectural Bronze - 129

Transform any outdoor space into a cozy country abode with the charming rustic character of the Rudder collection. Four boat oar-inspired blades attach to a smooth center that features an LED light source for friendly illumination as needed. Available in a Matte White, Matte Black, or Architectural Bronze finish, Rudder is sure to fill your favorite patio or porch with a refreshing breeze wrapped in country character.



Charming Rustic Design



P250040-028-30
shown with Distressed White blades




P250040-031-30
shown with Distressed Ebony blades



P250040-129-30
shown with Walnut blades


Rudder

P250040-028-30 Matte White



Distressed White

P250040-031-30 Matte Black



Distressed Ebony

P250040-129-30 Architectural Bronze



Walnut

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,112 cubic feet per minute
Electricity Use	35 watts (excludes lights)
DOE Weighted CFM/W	188 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- Damp Location Rated
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

56" dia., 16-1/8" ht.
80" lead wires.

LAMP

24w LED Module, 3000K,
90 CRI, 2000 source lumens,
dimmable.



Edwidge

P250062-152-30
shown with Painted Nickel blades

FINISHES

- Matte White - 028
- Matte Black - 031
- Painted Nickel - 152

Edwidge cleverly houses the motor within the trio of fan blades providing a sleek, modern look. All-weather ABS fan blades and a non-metallic housing and canopy offer rust-proof, contemporary style to indoor and covered outdoor settings.

Modern Design

For Indoor & Outdoor Use

Dimmable LED Light



P250062-028-30
shown with Matte White blades



P250062-031-30
shown with Matte Black blades



P250062-152-30
shown with Painted Nickel blades

Edwidge

P250062-028-30 Matte White



P250062-031-30 Matte Black



P250062-152-30 Painted Nickel



ENERGY INFORMATION AT HIGH SPEED

Airflow	5,874 cubic feet per minute
Electricity Use	20 watts (excludes lights)
DOE Weighted CFM/W	328 CFM/W



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20°)
- DC Motor
- ABS blades
- Opal shatterproof shade
- Remote control with batteries is included

SIZE

52" dia., 13-9/16" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI,
1400 source lumens, dimmable.



Whirl

P2574-8130K
shown with Driftwood blades

FINISHES

- Antique Bronze - 20
- Forged Black - 80
- Antique Nickel - 81

Refresh your indoor or covered outdoor living spaces with the crisp, clean style of the 60" Whirl fan. The stylish design comes in Antique Nickel, Antique Bronze and Forged Black finish options. The five-blade fan features an all weather damp location rating to accommodate a variety of settings throughout the home.

Clean Style

Minimal Design

White Frosted Glass Shade

Whirl

P2574-2030K Antique Bronze



Walnut

P2574-8030K Forged Black



Toasted Oak

P2574-8130K Antique Nickel



Driftwood



P2574-2030K
shown with Walnut blades



P2574-8030K
shown with Toasted Oak blades



P2574-8130K
shown with Driftwood blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,549 cubic feet per minute
Electricity Use	70 watts (excludes lights)
DOE Weighted CFM/W	106 CFM/W

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-18.5°)
- AC Motor
- ABS all weather blades
- White Frosted Glass Shade
- Three speed pull-chain switch (fan)
- On/off pull-chain switch (light)
- Damp Location Rated
- Add a P2630-30 wall control or P2662-01 hand-held remote control

SIZE

60" dia., 15-7/8" ht.
80" lead wires.

LAMP

18w LED Module, 3000K, 90 CRI, 1400 source lumens, dimmable (with added remote wall control).



Featuring Whirl

Relax All Year Long



Light-filled sunrooms offer the best of indoor-outdoor living.

1

Add a beautiful Whirl ceiling fan to move the air comfortably for ultimate relaxation.

2

Install multiple recessed fixtures to create the perfect ambiance for peaceful relaxation.

3

Accessorize with organic touches of wicker furniture topped with cozy cushions for a tranquil neutral color scheme.

Alfresco

P250034-129-WB
shown with Dark Bamboo blades

FINISHES

- Architectural Bronze - 129
- Blistered Iron - 171

Infuse a warm, nature-inspired style to your outdoor home décor with the one-of-a-kind Alfresco collection. Five blades decorated in a leaf-like design sprout from a dual mount center that artistically harbors an LED light source. Select from an Architectural Bronze and blistered iron finish to bring your bohemian dreamland to life.

Leaf-like Decorated Blades

Nature-Inspired Design

Dimmable LED Light

Alfresco

P250034-129-WB Architectural Bronze



Dark Bamboo

P250034-171-WB Blistered Iron



Pewter



P250034-129-WB
shown with Dark Bamboo blades



P250034-171-WB
shown with Pewter blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,724 cubic feet per minute
Electricity Use	68 watts (excludes lights)
DOE Weighted CFM/W	90 CFM/W



Three-Speed Remote Control Included
Three-speed fan operation
Full-range dimming for light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- ABS blades
- Damp Location Rated
- Clear seeded glass
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

54" dia., 19-1/4" ht.
80" lead wires.

LAMP

Two medium base 2700K 7w vintage LED lamps included. 600 lumens/lamp, 90 CRI, dimmable. 7w LED max/socket.



Smyrna

P2576-2030K
shown with Walnut blades

FINISHES

- Antique Bronze - 20
- Forged Black - 80

This 52" Smyrna ceiling fan features an LED light source, offering both form and function with energy and cost-savings benefits. The light kit contains a clear hammered glass shade and contains a 17W dimmable 3000K LED module. Includes a wall control switch for fan speed and light operation.

Traditional Style

Dimmable LED Light

Clear Hammered Glass Shade



P2576-2030K
shown with Walnut blades



P2576-8030K
shown with Toasted Oak blades

Smyrna

P2576-2030K Antique Bronze



Walnut

P2576-8030K Forged Black



Toasted Oak

ENERGY INFORMATION AT HIGH SPEED

Airflow	4,585 cubic feet per minute
Electricity Use	58 watts (excludes lights)
DOE Weighted CFM/W	91 CFM/W



Wall Control Included
Four-speed fan operation
Full-range dimming for light
Includes switch plate cover

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-30°)
- AC Motor
- ABS all weather blades
- Clear hammered glass shade
- Wet Location Rated

SIZE

52" dia., 19-1/2" ht.
80" lead wires.

LAMP

17w LED Module, 3000K,
90 CRI, 1400 source lumens,
dimmable.



Montague

P2564-8030K
shown with Toasted Oak blades

FINISHES

- Antique Bronze - 20
- White - 30
- Forged Black - 80

This five-blade 60" Montague ceiling fan features an all weather wet location rating to accommodate a variety of interior and exterior locations. The white opal glass shade contains a 18W dimmable, 3000K LED module, offering both form and function with energy and cost-savings benefits. A full function remote control is included.

Interior and Exterior Locations

Dimmable LED Light

White Opal Glass Shade

Montague

P2564-2030K Antique Bronze



Walnut

P2564-3030K White



White

P2564-8030K Forged Black



Toasted Oak



P2564-2030K
shown with Walnut blades



P2564-3030K
shown with White blades



P2564-8030K
shown with Toasted Oak blades



Scan with the camera on your smartphone for the Montague installation video.

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,693 cubic feet per minute
Electricity Use	75 watts (excludes lights)
DOE Weighted CFM/W	96 CFM/W



Full Function Remote Control Included
Three-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-18.5")
- AC Motor
- White opal Glass Shade
- ABS all weather blades
- Wet Location Rated
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

60" dia., 17-5/8" ht.
80" lead wires.

LAMP

18w LED Module, 3000K,
90 CRI, 1400 source lumens,
dimmable.



Kennedale

P250070-31M
shown with Rustic Charcoal blades

FINISHES

- Matte White - 028
- Painted Nickel - 152
- Matte Black - 31M

Perfect for cooling large spaces inside or out, Kennedale is a 72” damp-rated DC motor fan. Classically styled with UV protected, faux wood finished reversible blades, Kennedale offers a substantial look for traditional and transitional décor and is ideal for an open floor plan or a large porch. A six-speed full function handheld remote is included. Kennedale will accept a Universal Light Kit.


Indoor and Outdoor

Classically Styled

Substantial Look

Kennedale

P250070-028 Matte White




Driftwood
White

P250070-152 Painted Nickel



Grey Weathered Wood
Painted Nickel

P250070-31M Matte Black



Matte Black
Rustic Charcoal






P250070-028
shown with Driftwood blades



P250070-152
shown with Grey Weathered Wood blades



P250070-31M
shown with Rustic Charcoal blades

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE
Airflow	8760 cubic feet per minute	<ul style="list-style-type: none">Limited Lifetime WarrantyDual Mount (flat or sloped ceiling-25°)DC MotorReversible Plywood BladesWill accept a light kitRemote control with batteries is included	72" dia., 18" ht. 80" lead wires.  
Electricity Use	33 watts (excludes lights)		
DOE Weighted CFM/W	293 CFM/W		
 Full Function Remote Control Included <i>Six-speed fan operation</i> <i>Reverse direction control</i>			

Albin

P250036-129-30
shown with Distressed Walnut blades

FINISHES

- Matte White- 028
- Matte Black- 031
- Architectural Bronze - 129

The Albin collection offers a modern take on a traditional design that will be perfectly at home in so many outdoor spaces and lifestyles. Five blades finished with a faux wood grain texture extend from a modern-style center available in an Architectural Bronze, Matte White, or Matte Black finish. An LED light source is encased in a crisp shade to illuminate a patio or porch space that will beg to be lived in an enjoyed.

Faux Wood Grain Texture

Modern Style

Dimmable LED Light



P250036-028-30
shown with Matte White blades



P250036-031-30
shown with Toasted Oak blades



P250036-129-30
shown with Distressed Walnut blades

Albin

P250036-028-30 Matte White



Matte White

P250036-031-30 Matte Black



Matte Black

P250036-129-30 Architectural Bronze



Architectural Bronze

ENERGY INFORMATION AT HIGH SPEED

Airflow	5,740 cubic feet per minute
Electricity Use	67 watts (excludes lights)
DOE Weighted CFM/W	95 CFM/W



Three Speed Remote Control Included
Three speed fan operation
Full range dimming with light

FEATURES

- Limited lifetime warranty
- Dual Mount (flat or sloped ceiling-20°)
- AC Motor
- Plywood blades
- Damp Location Rated
- White opal glass shade
- Remote control with batteries is included
- Remote control may be replaced with P2630-30 wall control

SIZE

54" dia., 15-5/8" ht.
80" lead wires.

LAMP

24w LED Module, 3000K,
90 CRI, 2000 source lumens,
dimmable.



Lakehurst

P2562-20
shown with Walnut blades

FINISHES

- Antique Bronze - 20
- White - 30
- Forged Black - 80

This five-blade 60" Lakehurst ceiling fan features an all weather wet location rating (ABS) to accommodate a variety of interior and exterior locations. The Lakehurst fan will accept a universal outdoor rated light kit. Features a dual mount system and a three-speed pull chain fan switch.

Interior and Exterior Locations

Traditional Design

Dual Mount System

Lakehurst

P2562-20 Antique Bronze



Walnut

P2562-30 White



White

P2562-80 Forged Black



Toasted Oak



P2562-20
shown with Walnut blades



P2562-30
shown with White blades



P2562-80
shown with Toasted Oak blades

ENERGY INFORMATION AT HIGH SPEED

Airflow	6,440 cubic feet per minute
Electricity Use	71 watts (excludes lights)
DOE Weighted CFM/W	105 CFM/W

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-18.5")
- AC Motor
- ABS all weather blades
- Compatible with universal light kits
- 3 Speed pull chain switch
- Wet Location Rated
- Add a P2630-30 wall control or P2662-01 hand-held remote control

SIZE

60" dia., 15-3/4" ht.
80" lead wires.



Decorative Patio Fan

P2526-20
shown with Washed Walnut blades

FINISH
● Antique Bronze - 20

52" Indoor/Outdoor five-blade fan with all-weather ABS blades in palm-style design and a rich Antique Bronze finish. Three-speed motor offers great performance and value that can be reversed to provide year-round comfort. Antique Brass pull chain with medium oak fob complements the Washed Walnut blades. The Patio fan will also accept a universal outdoor rated light kit.

Washed Walnut Blades

Antique Bronze Finish

Palm-Style Design

Decorative Patio Fan

P2526-20 Antique Bronze



Washed Walnut



P2526-20
shown with Washed Walnut blades



P2526-20
shown with P2636-20WB light kit*
and Washed Walnut blades
* Light kit sold separately.

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE	CTC INSTALLATION
Airflow	4,150 cubic feet per minute	<ul style="list-style-type: none">• 15-year limited warranty• 45° Canopy• Close-to-ceiling installation• SureConnect® System• AC Motor• ABS all-weather blades• Compatible with universal light kits• Damp location rated• Add a P2630-30 wall control or P2662-01 hand-held remote control	52" dia., 17-3/8" ht. (CTC 12-3/16 ht.), 80" lead wires.	
Electricity Use	70 watts (excludes lights)			
DOE Weighted CFM/W	77 CFM/W			



54" Patio Fan

FINISH
● Antique Bronze - 20

P2533-20 Antique Bronze

Toasted Oak



P2533-20
shown with Toasted Oak blades
* Light kit sold separately.

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE	CTC INSTALLATION
Airflow	4,986 cubic feet per minute	<ul style="list-style-type: none">• 30-year limited warranty• 45° Canopy• SureConnect® System• AC Motor• ABS all-weather blades• Wet location rated• Compatible with universal light kits• Add a P2630-30 wall control or P2662-01 hand-held remote control	54" dia., 18-1/4" ht. (CTC 12-3/16 ht.), 80" lead wires.	
Electricity Use	65 watts (excludes lights)			
DOE Weighted CFM/W	74 CFM/W			

52" Patio Fan

P2502-20 Antique Bronze

Oak

P2502-80 Forged Black


Toasted Oak

P2502-30 White

White

P2502-141 Galvanized

Silver



P2502-30
shown with White blades



P2502-80
shown with Toasted Oak blades



P2502-141
shown with Silver blades



P2502-20
shown with Oak blades

ENERGY INFORMATION AT HIGH SPEED		FEATURES	SIZE	CTC INSTALLATION
Airflow	4,991 cubic feet per minute	<ul style="list-style-type: none">• 15-year limited warranty• Dual Mount (flat or sloped ceiling-23°)• Close-to-ceiling installation• SureConnect® System• Quick-Install canopy• AC Motor• ABS all-weather blades• Compatible with universal light kits• Three speed pull-chain switch• Wet location rated• Add a P2630-30 wall control or P2662-01 hand-held remote control	52" dia., 12-3/4" ht. (CTC 9-11/16 ht.), 72" lead wires.	
Electricity Use	64 watts (excludes lights)			
DOE Weighted CFM/W	89 CFM/W			



Featuring 52" Patio Fan, Image: Arthur Rutenburg Homes



Featuring 52" Builder Fan with P2602-30WB Light Kit
Image: Kirbor Homes and Susan Wilson Interiors

Accessories

Accessorise your living area



Scan with your camera on
your smartphone or visit
www.progresslighting.com/ceilingfans



James Thomas
Senior Product Designer

Modernly Minimalism


with James

Modern interiors showcase sleek design through the use of neutrals, a minimalism approach, and the use of glass décor and technology. Take advantage of spaces with wide windows and use glass in other details such as countertops and furniture. This creates a sleek design for interior spaces. Integrate new innovations into a home's décor by adding elements, such as voice activated

devices and remote controlled light dimmers. To accentuate a Modern color palette, stick to neutral shades, as well as an overall minimalistic design to create this look.




Shop this style at
www.progresslighting.com/modern



Indoor/Outdoor

Universal-style with quick-connect wiring.

SCHOOLHOUSE
P2601-20WB Antique Bronze
P2601-30WB White
P2601-80WB Forged Black
P2601-141WB Galvanized
with opal glass.
8-1/2" dia., 7" ht.
One medium base 3000K 9w LED
lamp included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Wet Location Rated.



LOW PROFILE
P2611-20WB Antique Bronze
P2611-30WB White
P2611-80WB Forged Black
with opal glass.
10-1/2" dia., 4-1/2" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Wet Location Rated.



ASHMORE
P2636-20WB Antique Bronze
with frosted seeded glass.
11" dia., 8-1/4" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Wet Location Rated.



All fixtures:

Springer

SPRINGER LIGHT KIT*
P260000-081-WB Antique Nickel
P260000-129-WB Architectural Bronze
P260000-31M-WB Matte Black
Two medium base 2700K 7w vintage
LED lamps included. 600 lumens/lamp,
90 CRI, dimmable. 7w LED max/socket.

**This light kit is only compatible with the
P250065 and P250000 Springer Fans.*



Torino

Universal-style light kit with quick-connect wiring.

P2645-01WB
with etched glass.
Included Finials:
-09 Brushed Nickel
-20 Antique Bronze
-80 Forged Black
12" dia., 5-3/4" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.



Gather, Bravo & Joy

Universal-style light kit with quick-connect wiring.

P2650-01WB
with etched glass.
Included Finials:
-09 Brushed Nickel
-20 Antique Bronze
11" dia., 5-1/2" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.



Madison

Universal-style with quick-connect wiring.

P2623-09WB Brushed Nickel
P2623-20WB Antique Bronze
with etched glass.
19" dia., 8" ht.
Three medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.



Universal Bowl

Universal-style with quick-connect wiring.

P2612-01WB
with alabaster glass.
Included Finials:
-09 Brushed Nickel
-031 Matte Black
-20 Antique Bronze
-30 White
-15 Polished Chrome
-143 Graphite
10-3/4" dia., 5-1/2" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.



Wisten

Universal-style light kit with quick-connect wiring.

P2649-01WB
with etched glass.
Included Finials:
-09 Brushed Nickel
-20 Antique Bronze
11" dia., 6-1/4" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.



Clifton Heights

Universal-style with quick-connect wiring.

P2654-01WB
with etched glass.
Included Finials:
-09 Brushed Nickel
-20 Antique Bronze
12-1/2" sq., 6-1/4" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.



LED Light Kits

Universal-style with quick connect wiring.

P2659-09 Brushed Nickel
P2659-20 Antique Bronze
P2659-30 White
with etched white glass.
12-1/4" dia., 4" ht.
One 16w, 3000K
LED module included.
1265 source lumens,
960 delivered lumens,
90 CRI. Indoor use only.
(dimmable)

P2660-01
with etched alabaster glass.
Included Finials:
-09 Brushed Nickel
-20 Antique Bronze
-30 White
11-1/4" dia., 5-3/8" ht.
One 16w, 3000K
LED module included.
1241 source lumens,
1150 delivered lumens,
90 CRI. Indoor use only.
(dimmable)

All fixtures:



Trinity

Universal-style with quick-connect wiring.


P2628-01WB
with etched glass.
Included Finials:
-09 Brushed Nickel
-031 Matte Black
-20 Antique Bronze
-30 White
13-3/8" dia., 6-3/8" ht.
Two medium base 3000K 9w LED
lamps included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.



Four Light Universal

Universal-style with quick-connect wiring.


P2643-09WB Brushed Nickel
P2643-20WB Antique Bronze
P2643-30WB White
with alabaster glass.
13-5/8" dia., 7-3/4" ht.
Four medium base 3000K
9w LED lamps included.
800 lumens/lamp, 90 CRI.
(dimmable) 10w LED or 60w
incandescent max/socket.
Indoor use only.



Three Light Universal

Universal-style with quick-connect wiring.

P2642-09WB Brushed Nickel
P2642-30WB White
with alabaster glass.
13-5/8" dia., 7-3/4" ht.
Three medium base 3000K
9w LED lamps included.
800 lumens/lamp, 90 CRI.
(dimmable) 10w LED or 60w
incandescent max/socket.
Indoor use only.



Low Profile

Universal-style with quick-connect wiring.

P2602-09WB Brushed Nickel
P2602-15WB Polished Chrome
P2602-20WB Antique Bronze
P2602-30WB White
P2602-143WB Graphite
with white opal glass.
10-1/2" dia., 4-1/2" ht.
Two medium base 3000K
9w LED lamps included.
800 lumens/lamp, 90 CRI.
(dimmable) 10w LED or 60w
incandescent max/socket.
Indoor use only.



Four Light Alabaster

Spring clip glass attachment. For use with P2500, P2501, P2502, P2524 and P2525.

P2610-09WB Brushed Nickel
P2610-15WB Polished Chrome
P2610-20WB Antique Bronze
P2610-30WB White
P2610-143WB Graphite
with alabaster glass.
14-1/2" dia., 6-1/4" ht.
Four medium base 3000K
9w LED lamps included.
800 lumens/lamp, 90 CRI.
(dimmable) 10w LED or 60w
incandescent max/socket.
Indoor use only.



Three Light Alabaster

Spring clip glass attachment. For use with P2500, P2501, P2502, P2524 and P2525.


P2600-09WB Brushed Nickel
P2600-20WB Antique Bronze
P2600-30WB White
with alabaster glass.
15" dia., 6-5/8" ht.
Three medium base 3000K
9w LED lamps included.
800 lumens/lamp, 90 CRI.
(dimmable) 10w LED or 60w
incandescent max/socket.
Indoor use only.



Schoolhouse

Universal-style with quick-connect wiring.

P2644-09WB Brushed Nickel
P2644-30WB White
with white opal glass.
8-1/2" dia., 6-1/2" ht.
One medium base 3000K 9w LED
lamp included. 800 lumens/lamp,
90 CRI. (dimmable) 10w LED or
60w incandescent max/socket.
Indoor use only.




Accessory Downrods

3/4" diameter; approximately 1" outside diameter.

CEILING HT. DOWNROD L.	9'-10'	10'-11'	11'-12'	12'-14'	13'-15'	14'-16'	15'-17'
Brushed Nickel -09	P2603-09	P2604-09	P2605-09	P2606-09	P2607-09	P2608-09	P2609-09
Polished Chrome -15	P2603-15	P2604-15	P2605-15	P2606-15	P2607-15	P2608-15	P2609-15
Antique Bronze -20	P2603-20	P2604-20	P2605-20	P2606-20	P2607-20	P2608-20	P2609-20
Matte White -28	P2603-28	P2604-28	P2605-28	P2606-28	P2607-28	P2608-28	P2609-28
White -30	P2603-30	P2604-30	P2605-30	P2606-30	P2607-30	P2608-30	P2609-30
Matte Black -31	P2603-31	P2604-31	P2605-31	P2606-31	P2607-31	P2608-31	P2609-31
Guided Iron -71	P2603-80	P2604-80	P2605-80	P2606-80	P2607-80	P2608-80	P2609-80
Forged Black -80	P2603-80	P2604-80	P2605-80	P2606-80	P2607-80	P2608-80	P2609-80
Antique Nickel -81	P2603-81	P2604-81	P2605-81	P2606-81	P2607-81	P2608-81	P2609-81
Oil Rubbed Bronze -108	P2603-20	P2604-20	P2605-20	P2606-20	P2607-20	P2608-20	P2609-20
Architectural Bronze -129	P2603-20	P2604-20	P2605-20	P2606-20	P2607-20	P2608-20	P2609-20
Galvanized -141	P2603-141	P2604-141	P2605-141	P2606-141	P2607-141	P2608-141	P2609-141
Graphite -143	P2603-143	P2604-143	P2605-143	P2606-143	P2607-143	P2608-143	P2609-143
Painted Nickel -152	P2603-152	P2604-152	P2605-152	P2606-152	P2607-152		
Vintage Brass -163	P2603-163	P2604-163	P2605-163	P2606-163	P2607-163		
Blistered Iron -171	P2603-171	P2604-171	P2605-171	P2606-171	P2607-171		
Black Chrome -231	P2603-231	P2604-231	P2605-231	P2606-231	P2607-231		

Downrod Selection Guide



Remotes, Wall Controls & 45° Canopies

P2662-01
Fan/Light Remote
Universal remote operates three fan speeds and full-range dimming light control. Includes canopy receiver and wall storage bracket. Will work with LED lamps and modules. Featuring four “dip” switches and 16 code options to avoid the chance of interference from other remotes.

P2663-01
Fan/Light Remote
Universal remote with two, four or eight-hour timer option, operates three fan speeds and full-range dimming light control. Includes canopy receiver and wall storage bracket. Will work with LED lamps and modules. Featuring many code combination options to avoid the chance of interference from other remotes.

P2618-01
Fan/Light Remote
Provides fan speed and light control from convenient hand-held remote. Compatible with non-dimmable compact fluorescent lamps. For single pole applications. Receiver fits in fan canopy.

P2661-01
Universal Fan/Light Remote
Provides fan speed and full range light dimming control from a convenient hand held remote control. For single pole applications. Includes a wall plate for added storage convenience. Receiver fits in the fan canopy.

P2667-31
WiFi Fan/Light Remote
Universal WiFi remote control for AC motor fans. Control your ceiling fan or light kit via WiFi from anywhere. Pairs with Alexa, Google Home, or app on your phone or tablet. Voice control the fan with three speeds and the light with full range dimming. App control the fan with three speeds or four timer selections or full range dimming control of the light. Can be controlled with the hand held remote included with the kit.

P2665-30 White
Universal remote includes a wall mount transmitter, that operates three fan speeds and full-range dimming light control. Includes canopy receiver and wall storage bracket. Will work with LED lamps and modules. Featuring four “dip” switches and 16 code options to avoid the chance of interference from other remotes.

P2631-30 White
Full-function wall control transmitter (receiver sold with ceiling fan). Use with, or in place of, hand-held remote included with fans that have a downlight and a reverse module. Includes switch plate cover.

P2630-30 White
Four-speed fan wall control with full-range light dimmer. Fits single-gang wall box; requires two circuits. Includes switch plate cover. Not for use with multiple fans.

P2613-30 White
Four-speed fan wall control. Includes switch plate cover. Not for use with multiple fans.

P2666-09
Brushed Nickel
45° canopy*

P2666-31M
Matte Black
45° canopy*

P2666-30
White
45° canopy*

P2666-143
Graphite
45° canopy*

P2666-15
Polished Chrome
45° canopy*


P2666-129
Architectural Bronze
45° canopy*

P2673-01
DC Fan WiFi Module
Add the WiFi module to your Ryne or 52” Springer ceiling fan ceiling fan for control at your fingertips. You can easily control your fan with a hand-held remote; or a smart phone, tablet, voice assistant (Amazon Alexa and Google Home) via the Smart By Bond app.

This accessory is for use with any Progress Lighting ceiling fans with a hanging weight of 25 lbs or less. Includes ceiling bracket, canopy, hanger ball, trim ring, and CTC mounting hardware. The only fans that can be CTC mounted are P2501, P2503, P2521, P2536, and P2531.

Cross Reference Chart

Here’s where you’ll find the specifications you’ll need to purchase the perfect fan for your space. Search by Model Number, Name or Page Number.



Model #	Model Name	Page	Motor (MM)	Motor Type AC or DC	Fan Diameter	Blade Pitch	Dimensions				Accepts Longer Downrods	Energy Star	Remotes				P2667-31 WiFi Remote Control	P2665-30	P2631-30	P2630-30	P2613-01	Universal Light Kit
							A	B	C	D			P2661-01	P2662-01	P2663-01	P2618-01						
P250000	Springer	50	DC-165	DC	60"	22°	17.38"	13.19"	8.38"	6.06"	Yes	No										
P250002	Farris	78	DC-125N	DC	60"	18°-13°	15.63"	12.5"	7.5"	5.13"	Yes	No										
P250003	Kaysville	52	178 X 22	DC	56"	15°	17.25"	13.25"	9.94"	6.44"	Yes	No										
P250006	Loring	40	120 X 20	AC	33"	13.5°	15.19"	9.02"	6.06"	7.73"	No	No	X	X	X	X	X	X		X	X	
P250007	Claret	112	153 X 20	AC	54"	14°	15.13"	10.50"	7.88"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P250008	Drift	158	153 X 12	AC	32"	13°	14.38"	11.75"	9.25"	5.9"	Yes	No	X	X	X	X	X	X		X	X	X
P250009	Alleron	56	178 X 12	DC	56"	15°	15.94"	11.38"	9.31"	5.88"	Yes	No										
P250010	Royer	92	172 X 20	AC	56"	13°	17.82"	16.39"	10.31"	5.13"	Yes	No	X	X	X	X	X	X		X	X	
P250011	Midvale	176	188 X 25	AC	56"	13°	20.88"	12.81"	10.06"	6.44"	Yes	No	X	X	X	X	X	X		X	X	
P250012	Gulliver	38	N/A	AC	23"	N/A	18.13"	N/A	5.75"	7.31"	Yes	No	X	X	X	X	X	X		X	X	
P250016	Edgefield	156	DC-125N	DC	52"	13°	14.44"	12.5"	11.0"	5.18"	Yes	Yes										X
P250021	Glenfalls	110	188 X 22	AC	56"	13°	14.88"	12.88"	8.75"	5.18"	Yes	No	X	X	X	X	X	X		X	X	
P250022	Chapin	102	188 X 22	AC	54"	14°	15.88"	14.45"	9.75"	5.18"	Yes	No	X	X	X	X	X	X		X	X	X
P250024	Bedwin	104	DC-125N	DC	54"	14°	15.44"	12.25"	8.69"	5.18"	Yes	No										X
P250026	Arlo	72	DC153-20NS	DC	60"	13°	18.56"	14.0"	8.25"	5.18"	Yes	No										
P250028	Lindale	166	153 X 18	AC	52"	13°	11.19"	8.0"	8.25"	5.96"	No	No	X	X	X	X	X		X	X	X	
P250030	Huff	66	DC168-25NS	DC	96"	14°	15.44"	12.0"	11.63"	6.25"	Yes	No										X
P250032	Holland	88	DC153-10NS	DC	60"	23°	16.63"	13.56"	8.56"	5.12"	Yes	No										
P250034	Alfresco	186	188 X 15	AC	54"	13°	19.25"	11.88"	12.0"	5.94"	Yes	No	X	X	X	X	X	X		X	X	
P250036	Albin	194	172 X 17	AC	54"	13°	15.63"	10.62"	11.01"	6.31"	Yes	No	X	X	X	X	X	X		X	X	
P250038	Bixby	74	DC125-30NS	DC	60"	18°	17.69"	15.12"	6.93"	5.19"	Yes	No										
P250040	Rudder	178	DC153-10NS	DC	56"	14°	16.01"	12.0"	9.13"	6.31"	Yes	No										
P250058	Braden	160	153 X 15	AC	44"	13°	9.81"	7.23"	7.70"	7.70"	No	No	X	X	X	X	X		X	X	X	
P250059	Vernal	28	156 X 12	DC	60"	12°	14.25"	9.60"	N/A	7.00"	Yes	No										
P250060	Ryne	30	156 X 8	DC	52"	12°	13.63"	9.60"	N/A	7.00"	Yes	No										
P250062	Edwidge	180	100 X 30	DC	52"	13°	13.55"	7.35"	N/A	5.75"	Yes	No										
P250063	Willacy	32	100 X 30	DC	48"	13°	14.52	12.78"	6.14"	6.87"	No	No										
P250065	Springer 52"	46	165NL	DC	52"	22°	17.38"	13.19"	8.38"	6.06"	Yes	No										
P250066	AirPro E Star	150	172 X 17	AC	52"	12°	13.06"	10.02"	11.0"	5.87"	Yes	Yes	X	X	X	X	X	X		X	X	X
P250067	Briarwood	34	N/A	AC	22"	N/A	15.63"	N/A	22"	7.31"	Yes	No	X	X	X	X	X	X		X	X	
P250068	Belva	36	N/A	AC	25.25"	N/A	17.75"	N/A	25.25"	7.31"	Yes	No	X	X	X	X	X	X		X	X	
P250069	Manvel	76	100 X 30	DC	60"	13°	11.13"	10.87"	7.36"	6.31"	Yes	No										
P250070	Kennedale	192	153 X 25	DC	72"	12°	18.05"	16.50"	13.0"	6.31"	Yes	No										X
P250071	Spicer	60	178 X 12	DC	54"	28°	11.56"	8.00"	11.00"	6.44"	Yes	No										
P250072	Kasota	174	178 X 12	DC	56"	12°	15.00"	12.25"	9.75"	6.44"	Yes	No										
P250073	Mesilla	54	178 X 22	DC	60"	18°	14.25"	8.19"	11.81"	6.44"	Yes	No										
P250074	Carrollwood	94	178 X 12	DC	56"	13°	18.00"	13.09"	8.06"	6.44"	Yes	No										
P250077	AirPro E Star	148	172X17	AC	52"	11.5°	18.69"	10.01"	11.00"	5.125"	Yes	Yes	X	X	X	X	X	X		X		
P250078	AirPro E Star	149	172X17	AC	52"	11.5°	16.69"	10.01"	11.00"	5.125"	Yes	Yes	X	X	X	X	X	X		X	X	
P250080	AirPro Builder	142	153X12	AC	52"	11.5°	12.57"	10.01"	11.00"	5.125"	Yes	No	X	X	X	X	X	X		X	X	X

Continued on following spread.

*Highlighted cells = Control does not include reverse function

Model #	Model Name	Page	Motor (MM)	Motor Type AC or DC	Fan Diameter	Blade Pitch	Dimensions				Accepts Longer Downrods	Energy Star	Remotes				P2667-31 WiFi Remote Control	P2665-30	P2631-30	P2630-30	P2613-01	Universal Light Kit
							A	B	C	D			P2661-01	P2662-01	P2663-01	P2618-01						
P250081	AirPro Builder	144	153X12	AC	52"	11.5°	18.69"	10.01"	11.00"	5.125"	Yes	No	X	X	X	X	X	X		X	X	
P250082	AirPro Builder	145	153X12	AC	52"	11.5°	16.69"	10.01"	11.00"	5.125"	Yes	No	X	X	X	X	X	X		X	X	
P250084	AirPro E Star	146	172X17	AC	52"	11.5°	12.57"	10.01"	11.00"	5.125"	Yes	Yes	X	X	X	X	X	X		X	X	X
P250085	AirPro Builder	144	153X12	AC	52"	11.5°	18.69"	10.01"	11.00"	5.125"	Yes	No	X	X	X	X	X	X		X	X	
P2500	42" Builder	153	153 X 10	AC	42"	12°	12.25"	9.65"	9.5"	5.13"	Yes	No	X	X	X	X	X	X		X	X	X
P2501	Builder	155	153 X 12	AC	52"	11°	12.71"	9.58"	11.0"	5.13"	Yes	No	X	X	X	X	X	X		X	X	X
P2502	52" Patio Fan	200	153 X 17	AC	52"	11°	12.75"	10.2"	11.75"	5.13"	Yes	No	X	X	X	X	X	X		X	X	X
P2503	Performance	152	188 X 15	AC	52"	14°	15.25"	12.56"	12.19"	6.5"	Yes	No	X	X	X	X	X	X		X	X	X
P2521	Signature	132	153 X 18	AC	52"	12°	14.63"	11.5"	11.75"	6.5"	Yes	No	X	X	X	X	X	X		X	X	X
P2524	42" Hugger	169	153 X 10	AC	42"	11°	8.31"	5.5"	10.0"	10.0"	No	No								X	X	X
P2525	52" Hugger	168	153 X 13	AC	52"	11°	8.13"	5.93"	11.06"	11.06"	No	No								X	X	X
P2526	Deco Patio Fan	198	188 X 20	AC	52"	12°	17.38"	14.25"	12.13"	6.5"	Yes	No	X	X	X	X	X	X		X	X	X
P2530	Signature Plus	139	153 X 18	AC	54"	12°	15.13"	10.4"	11.8"	6.5"	Yes	No	X	X	X	X	X	X		X	X	X
P2531	Clifton Heights	140	153 X 18	AC	52"	12.5°	15.75"	12.7"	7.88"	6.5"	Yes	No	X	X	X	X	X	X		X	X	X
P2533	54" Patio Fan	200	153 X 18	AC	54"	12°	18.75"	13.34"	11.38"	6.5"	Yes	No	X	X	X	X	X	X		X	X	X
P2539	Signature Plus II	138	153 X 18	AC	54"	12°	15.3"	11.2"	11.8"	6.5"	Yes	No	X	X	X	X	X	X		X	X	
P2540	Harranvale	108	153 X 20	AC	54"	12°	16.38"	12.1"	12.63"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2542	Soar	106	153 X 20	AC	54"	12°	14.7"	11.05"	10.1"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2544	Graceful	114	153 X 20	AC	54"	12°	16.38"	11.5"	9.75"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2546	Ellwood	62	212 X 25	AC	68"	17°	16.7"	11.5"	9.63"	5.88"	Yes	No	X	X	X	X	X		X	X	X	
P2548	Fresno	122	188 X 25	AC	60"	14°	17.2"	10.8"	12.75"	5.88"	Yes	No						X				
P2550	Vast	68	DC - 165	DC	72"	14°	16.75"	13.67"	8.25"	5.13"	Yes	No										
P2552	Billows	128	153 X 15	AC	52"	12°	17.5"	11.18"	9.1"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2553	Trevina II	135	153 X 15	AC	52"	12°	15.75"	10.8"	9.44"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2554	Gaze	82	172 X 17	AC	60"	12°	13.13"	10.71"	6.88"	5.13"	Yes	No	X	X	X	X	X	X		X	X	
P2555	Trevina II 44"	134	153 X 12	AC	44"	12°	15.68"	12.21"	8.38"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2556	Trevina II 52"	135	153 X 15	AC	52"	12°	15.75"	10.8"	9.44"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2558	Verada	126	153 X 18	AC	52"	12°	16.56"	10.1"	10.19"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2560	Caleb	64	212 X 25	AC	68"	17°	18.0"	11.98"	13.75"	5.88"	Yes	No	X	X	X	X	X		X	X	X	
P2562	Lakehurst	196	188 X 25	AC	60"	13.5°	15.69"	13.5"	11.25"	5.9"	Yes	No	X	X	X	X	X	X		X	X	X
P2564	Montague	190	188 X 25	AC	60"	13°	17.63"	12.28"	9.95"	5.9"	Yes	No	X	X	X	X	X	X		X	X	
P2568	Kudos	120	172 X 17	AC	52"	13°	17.63"	13.11"	9.69"	5.95"	Yes	No	X	X	X	X	X	X		X	X	
P2570	Spades	84	DC188-10	DC	56"	22°	18.13"	16.67"	8.08"	6.42"	Yes	No										
P2572	Vox	164	153 X 18	AC	52"	12°	11.63"	7.13"	11.41"	9.91"	No	No	X	X	X	X	X		X	X	X	
P2574	Whirl	182	188 X 25	AC	60"	12°	15.88"	11.93"	10.01"	5.91"	Yes	No	X	X	X	X	X	X		X	X	
P2576	Smyrna	188	153 X 20	AC	52"	12°	19.44"	10.75"	11.94"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2578	Tempt	124	153 X 18	AC	52"	12°	16.19"	9.94"	10.25"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2582	Gust	116	172 X 20	AC	54"	13.5°	16.0"	13.13"	9.95"	5.91"	Yes	No	X	X	X	X	X	X		X	X	
P2584	Greer	100	153 X 20	AC	54"	12°	21.56"	11.61"	7.88"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2586	Glandon	96	188 X 25	AC	60"	12°	17.06"	13.09"	9.06"	5.88"	Yes	No	X	X	X	X	X	X		X	X	
P2588	Braden	162	172 X 20	AC	56"	13°	9.81"	7.23"	7.70"	7.70"	No	No	X	X	X	X	X		X	X	X	
P2592	Oriole	90	172 X 20	AC	60"	21°	14.56"	12.5"	9.17"	6.0"	Yes	No	X	X	X	X	X	X		X	X	
P2594	Sanford	42	N/A	AC	23"	31.7°	17.69"	13.13"	22.81"	5.12"	Yes	No	X	X	X	X	X	X		X	X	
P2599	Uni Pack	154	153 X 12	AC	52"	11°	17.56"	9.58"	11.0"	5.13"	Yes	No	X	X	X	X	X	X		X	X	X

Fan Blade Finishes



American Walnut




Black Chrome




Cottage White



Antique Black



Blistered Iron



Dark Bamboo



Antique Bronze



Brushed Nickel



Dark Cherry




Antique Wood



Cherry



Dark Walnut




Architectural Bronze



Chestnut



Distressed Ebony




Black




Classic Walnut




Distressed Walnut




Distressed White




Medium Cherry



Toasted Oak



Driftwood



Natural Cherry



Walnut



Galvanized



Oak



Washed Oak




Graphite



Rustic Charcoal




White Barnwood




Gray Weathered Wood



Pewter



White Metallic



Koa Woodgrain



Silver



White Washed



All finish representations are part of Progress Lighting's comprehensive design and specification program. Through extensive research, these finishes have been carefully chosen to complement all Progress Lighting products, including our extensive range of materials and accessory options.

These finish representations match actual finish colors as accurately as possible, and while every effort has been made to render colors accurately, they may vary slightly from the actual product, especially hand-painted finishes due to the nature of hand craftsmanship.

Notes

[illegible]

Notes

[illegible]


Notes


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.


Notes


[illegible]


Symbol Legend


- 


Products referencing this logo meet the energy efficiency requirements for ceiling fans and or ceiling fan light kits set forth in ENERGY STAR® product specifications. Please refer to www.energystar.gov for specific product qualifications and list of certified products.
- 


Please note indoor only (dry location) fans should only be used indoors. Even if an outdoor area or screened-in porch is covered, the motor and the blades can be affected when exposed to humidity. You can, however, “bring the outdoors inside” – as using outdoor ceiling fans are perfectly acceptable to use in interior spaces.
- 


If you are selecting a ceiling fan for a space that is outdoors and under a roof, i.e. any covered porches; you should select either a damp rated or wet listed fan. Damp location fans may also be used indoors.
- 


If the fan comes directly into contact with water, you’ll need to ensure that the ceiling fan has a “wet” listing. Ceiling fans designed for damp or wet locations feature elements, such as moisture-resistant motors and all weather blades. Wet location fans may also be used indoors.
- 

This marking indicates fixtures that have an integrated LED or replaceable LED module or LED lamps that has been tested and listed in the California Appliance Database. Check for certified lamps, fixtures or LED light engines by searching the MAEDBS database. Go to cacertappliances.enegy.ca.gov
- 

Complies with “American with Disabilities Act”
- 


Products comply with the California Appliance Efficiency Regulations. Certified products are listed on the appliance efficiency database found at www.appliances.energy.ca.gov.
- 

Products with this icon are Dark-Sky Friendly: they are certified by the International Dark-Sky Association to minimize glare while reducing light trespass and skyglow (they don't pollute the night sky.)
- 

The products with this logo have passed the cUL requirements and are available for sale in Canada. These products include the additional safety features needed to comply with the regulations in Canada. Items with the icon are listed with NRCan.
- 

Products with this icon are WiFi compatible and may be controlled with WiFi when one of the following controls is added;

 - AC Motor fans can add the P2667-31 WiFi remote control
 - DC Motor fans that are WiFi compatible can add the P2673-01 WiFi module.

With the addition of one of the above controls, you may easily control your fan or light with your smart phone, tablet, voice controls, or hand held remote. Use the Smart by Bond technology to control on/off function of the fan and the light kit along with full range dimming and fan speed control..
- 

Products with this icon have WiFi Control Included. Easily control your fan with your smart phone, tablet, voice controls, or a hand held remote. Use the Smart by Bond technology to control on/off function of the fan and the light kit along with full range dimming and fan speed control.

Warranty

For more details regarding product warranty coverage, please consult a qualified Progress Lighting distributor or visit:

www.progresslighting.com/warranty

Where to buy

To purchase Progress Lighting products from one of our authorized dealers visit:

www.progresslighting.com/where-to-buy



Featuring Glandon,
Image: Dostie Homes and Jessie Preza Photography

Equip. Educate. Excite.

These three words define the mission of Progress Lighting. Flip through our catalog, and you’ll quickly see how we equip you with the education to make all your exciting design dreams come true. Not sure where to start? Whether you’re browsing our catalog or visiting our website, Progress is at your service to help you envision where and how to use our products.

Experience Progress

Learn how lighting can totally transform a space. Experience Progress features beautiful room images from our builder partners, design firms, social media fans and influencers bringing the Progress Lighting story to life. Visit www.progresslighting.com/experienceprogress

Our Blog

Explore our blog for even more design inspiration, product integration and trend guidance to make your home into a haven of livable luxury. See www.progresslighting.com/blog

Be Inspired

-  @ProgressLtq
-  @ProgressLtq
-  @ProgressLighting
-  @ProgressLtq
-  Progress Lighting
-  Progress-Lighting

See Yourself Here

Every home and every family has a story that's all their own. In this issue, we introduce you to the many ways Progress Lighting can bring that story to life.



PROGRESS LIGHTING

701 Millennium Boulevard
Greenville, SC 29607

www.progresslighting.com

