

FRIGIDAIRE

FRIGIDAIRE FOOD WASTE DISPOSER LINE-UP















| Model | FF03DISPD1 | FF03DISPC1 | FF05DISPD1 | FF05DISPC1 | FF75DISPC1 | FF75DISPB1 | FF13DISPC1 |
|---------------------------|--|--|--|--|--|--|--|
| НР | 1/3 | 1/3 | 1/2 | 1/2 | 3/4 | 3/4 | 1-1/4 |
| RPM | 2400 | 2400 | 2600 | 2600 | 2700 | 2700 | 2800 |
| Disposer Feed | Continuous | Continuous | Continuous | Continuous | Continuous | Batch Feed | Continuous |
| Grinding Components | Stainless Steel |
| Grind Chamber | Corrosion Proof Glass-Filled Polyester |
| Grind Chamber Capacity | 29.8 Fl. Oz. | 29.8 Fl. Oz. | 29.8 Fl. Oz. | 29.8 Fl. Oz. | 36.2 Fl. Oz. | 36.2 Fl. Oz. | 36.2 Fl. Oz. |

Torque Master® Balanced Grinding System

Our tough stainless-steel disposers come with the **Torque Master® Grinding System**. It delivers instant, high-speed power, while also working to balance the speed and force of the motor and cutting components to help prevent jams and cut down on noise.

Our manufacturing process involves a combination of computer designed and balanced components that work in unison to provide superior torque grind speed and long system life.



Permanent Magnet Motor

A **Permanent Magnet Motor** eliminates the need for a jam wrench instantly hitting optimum power levels to cut through potential blocks. Our disposers can quickly grind everything from coffee grinds to produce scraps to bones with minimized noise and vibrations.



- ✓ Full speed within one turn
- ✓ RPMs increase as HP increases
- ✓ As the load increases, speed decreases but torque increases
- ✓ No jam wrench needed



Induction Motor

- × Starting speed different from grinding speed
- × RPMs the same no matter HP
- × As the load increases, both speed and torque decrease
- × Jam wrench needed



Protect against odors.

Helps protect against odors caused by food residue and buildup with **BIOSHIELD®**. Antimicrobial odor protection beads are permanently molded inside the disposer to eliminate bacteria-caused odors and inhibit the growth of a wide range of micoorganisms.









ReadyClean[™] Probiotic Dishwasher Cleaner

Probiotic Sink & Disposer Cleaner removes odors and greasy buildup from the sink & disposer. The triple action formula contains surfactant, probiotic, and odor eliminating technology, with specially selected friendly bacteria that removes food remnants, grease and grime. Safe for use in all dishwashers & provides cleaning power for 1 month!

ReadyClean™ Probiotic
Dishwasher Cleaner 6 Pack
10FFPROD02 \$11.99 MSRP



ReadyClean™ Probiotic
Sink and Disposer Cleaner 6 Pack
10FFPROS02 \$11.99 MSRP



Additional

features:

The **Silver Guard®** magnetic ring captures most metal objects before they enter the disposer chamber.

Available on our ¾ HP and 1 ¼ HP models.

Partial or **Fully Insulated Sound Shell** helps to reduce sound for quiet performance.



Maximized Grind Chamber Capacity without compromising undercabinet space.

A Stainless Steel Grinding
System with swivel impellers
and cutting components deliver
a powerful performance.

Installation & Maintenance

✓ 3-Bolt Mounting System

Quickly install your disposer to the existing 3-bolt sink mount flange or use the provided 3-bolt mount flange. Compatible with all 3-bolt mounts.

- ✓ Slim & Compact Design*
 Slender, lightweight design saves space under the sink.
- ✓ 5+ Product Warranty with Corrosion Lifetime Warranty
 Each disposer carries a 5, 6, 10, or 12 Year Warranty and Lifetime
 Warranty against failure due to corrosions.

✓ Removable Splash Guard

Designed with a removable splash guard— it's now easy to see inside the grind chamber, remove items and clean the bottom of the splash guard to help prevent odors.

✓ Direct Wire or Corded Option*

Select models offer both a direct wire or corded option for more flexible installations.





FRIGIDAIRE DISPOSER ACCESSORIES

CLEANERS





Frigidaire ReadyClean™ Probiotic Cleaner removes odors and greasy buildup in sinks and waste disposers. The specially selected friendly bacteria removes food remnants, grease and grime. Just tear and pour. Safe for use in all sinks and disposers.

ReadyClean™ Probiotic Sink and Disposer Cleaner 10FFPROS02

ACCESSORIES



Experience safe and convenient operation of your disposer with this easy to install air switch. Uses air pressure activation to power the garbage disposer without the complexity of hardwiring or an outlet.

Frigidaire Waste Disposer Air Switch 15FFAIRS01





Help reduce disposer sounds and prevent water & food from splashing during operation with our stopper accessories

Stainless Steel Stopper – 5304526182 Plastic Stopper with Splash Guard - 5304526181

INSTALLATION



Disposer replacement and installation kit, includes a high-quality and durable stainless-steel flange, plastic splash guard and mounting hardwire.

Flange with Mounting Hardwire & Splash Guard 5304503339



Extended sink flange for standard stainless steel, fireclay and ceramic sinks.

3-Bolt Extended Part Sink Flange 5304526180



Elbow Drain with Gasket 5304503685

Where we W



Torque Master® Grinding System



Permanent Magnet Motor



Stainless Steel
Components & limited
Lifetime Warranty



Grind Chamber Capacity



FRIGIDAIRE FOOD WASTE DISPOSER LINE-UP

















| Model | FF03DISPD1 | FF03DISPC1 | FF05DISPD1 | FF05DISPC1 | FF75DISPC1 | FF75DISPB1 | FF13DISPC1 |
|---------------------------|---|---|---|---|---|---|---|
| UPC | 012505469466 | 012505469473 | 012505469480 | 012505469497 | 012505469503 | 012505469510 | 012505469534 |
| НР | 1/3 | 1/3 | 1/2 | 1/2 | 3/4 | 3/4 | 1-1/4 |
| RPM | 2400 | 2400 | 2600 | 2600 | 2700 | 2700 | 2800 |
| Disposer Feed | Continuous | Continuous | Continuous | Continuous | Continuous | Batch Feed | Continuous |
| Grinding Components | Stainless Steel |
| Grind Chamber | Corrosion Proof Glass-Filled Polyester |
| Grind Chamber Capacity | 29.8 Fl. Oz. | 29.8 Fl. Oz. | 29.8 Fl. Oz. | 29.8 Fl. Oz. | 36.2 Fl. Oz. | 36.2 Fl. Oz. | 36.2 Fl. Oz. |
| Sound Insulation | Standard | Standard | Standard | Standard | Ultra Quiet I | Ultra Quiet II | Ultra Quiet III |
| Power Cord | Direct Wire | Corded | Direct Wire | Corded | Corded | Corded | Corded |
| Warranty | 5 Year | 5 Year | 6 Year | 6 Year | 10 Year | 10 Year | 12 Year |